

## Lophogastrida Literature, October 20, 2008

Below is a list of citations relating to Lophogastrida, prepared on the date above. The list has been compiled from the interactive database available at <http://peracarida.usm.edu/>; many of these references are annotated there. This list may be cited as:

Anderson, G. 2008. Lophogastrida Literature October 20, 2008. <http://peracarida.usm.edu/LophogastridaLit.pdf>.

Efforts underway relating to this project are directed toward verification, correction, and annotation of the items in this list and the interactive database. If you are aware of corrections or additional items that should be included, please bring them to my attention. Also, I would appreciate being added to your reprint distribution list. Thank you in advance.

Best wishes,

Gary Anderson

- Abelló, P., A. Carbonell, & P. Torres. 2002. Biogeography of epibenthic crustaceans on the shelf and upper slope off the Iberian Peninsula Mediterranean coasts: implications for the establishment of natural management areas.-- *Scientia Marina* 66 (Supplement 2):183-198.
- Alcock, A., & A.R.S. Anderson. 1899. I.- Natural history notes from H.M. Royal Indian Marine Survey ship "Investigator", Commander T.H. Heming, R.N., commanding.- Series III, No. 2. An account of the deep-sea Crustacea dredged during the surveying-season of 1897-98.-- *The Annals and Magazine of Natural History*, Ser. 7, 3 (13): 1-27.
- Almeida Prado-Por, M.S. 1980. Mysidacea from the Gulf of Elat (Gulf of Aqaba).-- *Israel Journal of Zoology* 29 (4): 188-191.
- Anderson, A.R.S. 1897. Natural history notes from the R.I.M. Survey steamer "Investigator", Commander C.F. Oldham, R.N., commanding. Series II, no. 21. An account of the deep sea Crustacea collected during the season 1894-95.-- *Journal of the Asiatic Society of Bengal* 65 (pt. 2): 88-106.
- Armitage, M.E., & J.E.G. Raymont. 1981. Amino acid synthesis in *Neomysis integer* and *Gnathophausia* sp.- feeding experiments using <sup>14</sup>C-labelled precursors.-- *Comparative Biochemistry and Physiology. B, Comparative Biochemistry* 68B (2): 183-191.
- Aron, W. 1962. The distribution of animals in the eastern North Pacific and its relationship to physical and chemical conditions.-- *Journal of the Fisheries Research Board of Canada* 19 (2): 271-314.
- Asthorsson, O.S. 1987. Records of *Eucopia grimaldii*, *Hansenomysis fyllae*, *Hemimysis lamornae*, and *Mysis litoralis* (Mysidacea) from Icelandic waters.-- *Sarsia* 72: 37-39.
- Bacescu, M. & Z. Muradian. 1977c. Contribution a la connaissance des Peracarides des eaux du nord-est de Libye.-- *Rapports et Procès-Verbaux des Réunions (International Commission for the Scientific Exploration of the Mediterranean Sea)* N.S., 24 (4): 111-112.
- Bacescu, M. 1941. Les mysidacés des eaux Méditerranéennes de la France (spécialement de Banyuls) et des eaux de Monaco.-- *Bulletin de l'Institut Océanographique*, No. 795: 1-46.
- Bacescu, M. 1979b. Contributions to the knowledge of Mysidacea from the Afar sector (south of the Red Sea and north-west of the Aden Gulf). Pages 126-136, In: Kurian, C.V., G.S. Sharma, A. Mohandas, & A. Antony (eds.), *Contributions to Marine Sciences Dedicated to Dr. C.V. Kurian on the Occasion of his Sixtieth Birthday*. Prof. Kurian's Shashtyabdhapoorthi Committee, Cochin.
- Bacescu, M. 1981a. Crustacea: Mysidacea. Pages 261-276, In: Forest, J., *Résultats des Campagnes Musorstom I: Philippines, 18-28 mars 1976*. Paris, Office de la Recherche Scientifique et Technique Outre-Mer Avec le Concours du Muséum National d'Histoire Naturelle.
- Bacescu, M. 1981a. Contributions to the knowledge of some Mysidacea from the Peru-Chile Trench, Californian coast and Philippinean Sea.-- *Proceedings of the 14th Pacific Science Congress* 14 (1): 34-39 (in Russian with English summary).
- Bacescu, M. 1985. 10 Crustacés Mysidacés (Musorstom II). In: *Résultats des Campagnes Musorstom I et II, Philippines, Tome 2-- Mémoires du Muséum National D'Histoire Naturelle, n.s., Série A, Zoologie* 133: 355-366.
- Bacescu, M. 1991. Crustacés Mysidacés recueillis au cours des campagnes MUSORSTOM 3 et CORINDON 2 aux Philippines et en Indonésie.-- *Mémoires du Muséum National D'Histoire Naturelle, n.s., sér. A, Zoologie* 152: 79-100.
- Ballantine, J.A., J.C. Roberts, & R.J. Morris. 1980. Marine sterols 12. The sterols of some pelagic marine crustaceans.-- *Journal of Experimental Marine Biology and Ecology* 47 (1): 25-33.
- Bamber, R.N., & P.F. Clark. 2004. A new species of *Lophogaster* (Crustacea, Mysidacea, Lophogastrida) from the equatorial eastern Atlantic.-- *Zoosystema* 26 (3): 419-423.

- Banner, A.H. 1948. A taxonomic study of the Mysidacea and Euphausiacea (Crustacea) of the northeastern Pacific. Part I. Mysidacea, from family Lophogastridae through tribe Erythropini.-- Transactions of the Royal Canadian Institute 26: 345-414 (9 plates).
- Banner, A.H. 1954a. Some "schizopod" crustaceans from the deeper water off California.-- Allan Hancock Foundation Publications. Occasional Papers, No. 13, 1-48 (1 plate).
- Banner, A.H. 1954b. The Mysidacea and Euphausiacea. In: Galtsoff, P.S. (ed.), Gulf of Mexico, Its Origin, Waters, and Marine Life. Fishery Bulletin 89.-- Fishery Bulletin of the Fish and Wildlife Service 55: 447-448.
- Banner, A.H. 1954c. A supplement to W.M. Tattersall's review of the Mysidacea of the United States National Museum.-- Proceedings of the United States National Museum 103 (3334): 575-583.
- Beaumont, W.I. 1900. Part II.- The benthos (dredging and shore-collecting). VII.- Report on the results of dredging and shore-collecting. In: Browne, E.T. et al.: The fauna and flora of Valencia Harbour on the west coast of Ireland.-- Proceedings of the Royal Irish Academy, Ser. 3, 5: 754-798.
- Belloc, G. 1959. Catalogue des types de Mysidacés du Musée océanographique de Monaco.-- Bulletin de l'Institut Océanographique, No. 1160: 1-7.
- Belman, B.W., & J.J. Childress. 1976. Circulatory adaptations to the oxygen minimum layer in the bathypelagic mysid *Gnathopausia ingens*.-- The Biological Bulletin 150: 15-37.
- Birstein, J.A., & J.G. Tchindonova. 1958. Glubocovodniie Mysidii severo zapadnoi chasti Tihogo Okeana [The deep sea Mysidacea from the north-western Pacific Ocean].-- Trudy Instituta Okeanologii = Transactions of the Institute of Oceanology 27: 258-355 (in Russian).
- Birstein, J.A., & J.G. Tchindonova. 1962. Mysidacea collected by the Soviet Antarctic Expedition on the M/V "Ob". Pages 57-67, In: Pavlovskii, E.P. (chief ed.), Issledovaniya Fauny Morei [Studies of Marine Fauna]/1 (9): 58-68 (in Russian), Andriyashov, A.P., & P.V. Ushakov (eds.), Resul'taty Biologicheskikh Issledovaniy Sovetskoi Antarkticheskoi Ekspeditsii (1955-1958) [Biological Reports of the Soviet Antarctic Expedition (1955-1958)], Vol. 1. Israel Program for Scientific Translations, Jerusalem (TT66-51061, pp. 57-67).
- Bishop, J.D.D. 1982b. The growth, development and reproduction of a deep sea cumacean (Crustacea: Peracarida).-- Zoological Journal of the Linnean Society 74 (4): 359-380.
- Björck, W. 1916a. Svenska kräftdjur i Göteborgs Museum. 1. Schizopoda.-- Meddelanden Från Göteborgs Musei Zoologiska Afdelning 7: 1-17 (with English summary).
- Boas, J.E.V. 1883. Studien über die Verwandtschaftsbeziehungen der Malakostraken.-- Morphologisches Jahrbuch 8: 485-579 (Plates XXI-XXIV).
- Boone, L. 1930. Crustacea: Anomura, Macrura, Schizopoda, Isopoda, Amphipoda, Mysidacea, Cirripedia, and Copepoda. In: Scientific results of the cruises of the Yachts "Eagle" and "Ara", 1921-1928, William K. Vanderbilt, commanding.-- Bulletin of the Vanderbilt Marine Museum 3: 1-221 (83 plates).
- Bordovskiy, O.K., V.G. Shirinskiy, & Y.A. Akhmet'yeva. 1977. [Isotopic composition of carbon in the lipids of zooplankton from the Kuril-Kamtchatka area of the Pacific Ocean].-- [Oceanology 16 (6): 568-570] = Okeanologiya
- Boschma, H. 1959. Ellobiopsidae from tropical West Africa.-- Atlantide Report No. 5: 145-175.
- Bousfield, E.L. 1982. Peracarida. Page 241, In: Parker, S.P. (ed.), Synopsis and Classification of Living Organisms. McGraw-Hill, New York.
- Bouvier, E.-L. 1907. Quelques impressions d'un naturaliste au cours d'une campagne scientifique de S.A.S. le Prince de Monaco (1905).-- Bulletin de l'Institut Océanographique, No. 93: 1-103.
- Bowman, T.E., & L.G. Abele. 1982. Classification of the recent Crustacea. Pages 1-27, In: Abele, L.G. (ed.), Systematics, the Fossil Record, and Biogeography, Volume 1, In: Bliss, D.E. (ed.), The Biology of Crustacea. Academic Press, New York.
- Brattegard, T., & J.H. Fosså. 1991. Replicability of an epibenthic sampler.-- Journal of the Marine Biological Association of the United Kingdom 71: 153-166.
- Brattegard, T. 1988. Order Mysidacea. Pages 358-361, In: Sterrer, W. (ed.), Marine Fauna and Flora of Bermuda. A Systematic Guide to the Identification of Marine Organisms. John Wiley & Sons, New York.
- Broch, H. 1928. Untersuchungen über die marine Bodenfauna bei Lindesness im Juni 1926.-- Avhandlingar Utgitt av det Norske Videnskaps-Akademi i Oslo. I, Matematisk-Naturvidenskapelig Klasse 1927 (5): 1-32.
- Brooks, H.K. 1962. The Paleozoic Eumalacostraca of North America.-- Bulletins of American Paleontology 44: 163-338.
- Broom, R. 1931. 32. On the Pygocephalus-like crustacean of the South African Dwyka.-- Proceedings of the Zoological Society of London 1931: 571-573 (1 plate).
- Brown, F.A., Jr. 1944. Hormones in the Crustacea, their sources and activities.-- Quarterly Review of Biology 19 (1): 32-46.

- Brunel, P. 1960. Artificial key to the Mysidacea of the Canadian Atlantic continental shelf.-- *Canadian Journal of Zoology* 38 (5): 851-855.
- Brusca, R.C., & M.E. Hendrickx. 2005. 12. Crustacea 4. Peracarida: Lophogastrida, Mysida, Amphipoda, Tanaidacea & Cumacea. Pages 139-157, In: Hendrickx, M.E., R.C. Brusca, & L.T. Findley (eds.), *Listado y Distribución de la Macrofauna del Golfo de California, México/ Parte 1. Invertebrados*. Arizona-Sonora Desert Museum.
- Bygrave, W. 1911. Report on the plankton of the English Channel in 1906. In: *Marine Biological Association of the United Kingdom, International Fishery Investigations. Third Report (Southern Area) on Fishery and Hydrographical Investigations in the North Sea and Adjacent Waters*. H.M. Stationary Office, London.
- Cabral, H.N., M. Lopes, & R. Loeper. 2002. Trophic niche overlap between flatfishes in a nursery area on the Portuguese coast.-- *Scientia Marina* 66 (3): 293-300.
- Calman, W.T. 1896. On deep-sea Crustacea from the south west of Ireland.-- *The Transactions of the Royal Irish Academy* 31 (part 1): 1-20 (2 plates).
- Calman, W.T. 1896b. On the genus *Anaspides* and its affinities with certain fossil Crustacea.-- *Transactions of the Royal Society of Edinburgh* 38 (4): 787-802 (2 plates).
- Calman, W.T. 1901. A catalogue of Crustacea and of Pycnogonida contained in the Museum of the University College, Dundee. Dundee, University of Saint Andrews.
- Calman, W.T. 1909. Part VII, Appendiculata, Third Fascicle, Crustacea, Chapter 9/ The Mysidacea. Pages 171-182, In: Lankester, R. (ed.), *A Treatise on Zoology*. Adam & Charles Black, London.
- Calman, W.T. 1911b. *The Life of Crustacea*. Methuen & Co. Ltd., London.
- Cannon, H.G., & S.M. Manton. 1927b. Notes on the segmental excretory organs of Crustacea.- I-IV.-- *Journal of the Linnean Society of London, Zoology* 36: 439-456.
- Caragitsou, E., & N. Tsimenidis. 1982. Seasonal changes of food spectrum and day-time rhythm of feeding of the red mullet (*Mullus barbatus*) in the Thracian Sea.-- *Thalassographica* 5 (2): 105-115.
- Carpentieri, P., F. Colloca, M. Cardinale, A. Belluscio, & G.D. Ardizzone. 2005. Feeding habits of European hake (*Merluccius merluccius*) in the central Mediterranean Sea.-- *Fishery Bulletin* 103 (2): 411-416.
- Carpine, C. 1970a. *Écologie de l'étage bathyal dans la Méditerranée occidentale*-- *Mémoires de l'Institut Océanographique, Monaco* 2: 1-146.
- Cartes, J.E., & J.C. Sorbe. 1995. Deep-water mysids of the Catalan Sea: species composition, bathymetric and near-bottom distribution.-- *JMBA* 75: 187-197.
- Casanova, J.P., & L. De Jong. 2005. A new North-East Atlantic species of *Bacescomysis* (Mysidacea, Crustacea) with original moth-like antennules.-- *Journal of Natural History* 39 (21): 1839-1849.
- Casanova, J.-P., L. De Jong, & E. Faure. 1998. Interrelationships of the two families constituting the Lophogastrida (Crustacea: Mysidacea) inferred from morphological and molecular data.-- *Marine Biology* 132 (1): 59-65.
- Casanova, B., L. De Jong, & X. Moreau. 2002. Carapace and mandibles ontogeny in the Dendrobranchiata (Decapoda), Euphausiacea, and Mysidacea (Crustacea): a phylogenetic interest.-- *Canadian Journal of Zoology* 80: 296-306.
- Casanova, J.-P. 1970. Essai de classement bathymétrique des formes zooplanctoniques en Méditerranée.-- *Revue des Travaux de l'Institut des Pêches Maritimes* 31 (1): 45-58.
- Casanova, J.-P. 1975. Adaptation des yeux de différents crustacés pélagiques à l'environnement lumineux.-- *Conseil International pour l'Exploration de la Mer, C.M.* 1975/L: 12.
- Casanova, B. 1987. Relations entre les tergites thoraciques et la carapace dans la série des Mysidacés, Euphausiacés et Décapodes Dendrobranchiata (Crustacés) [Relationships between thoracic tergites and carapace among Mysidacea, Euphausiacea and Dendrobranchiata Decapoda (Crustacea)].-- *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Ser. III, Sciences de la Vie* 305 (18): 655-660 (in French with English abstract).
- Casanova, B. 1993. L'origine protocéphalique de la carapace chez les Thermosbaenacés, Tanaidacés, Cumacés et Stomatopodes [The protocephalic origin of the carapace in thermosbaenaceans, tanaidaceans, cumaceans, and stomatopods].-- *Crustaceana* 65: 144-150.
- Casanova, J.-P. 1993b. Crustacea Mysidacea: Les Mysidacés Lophogastrida et Mysida (Petalophthalmidae) de la région néo-caledonienne. In: A. Crosnier (ed.), *Résultats des Campagnes Musorstom 10*-- *Mémoires du Muséum National d'Histoire Naturelle* 156: 33-53.
- Casanova, J.-P. 1996a. *Gnathophausia childressi*, new species, a mysid from deep near-bottom waters off California, with remarks on the mouthparts of the genus *Gnathophausia*-- *Journal of Crustacean Biology: A Quarterly of the Crustacean Society for the Publication of Research on Any Aspect of the Biology of Crustacea* 16 (1): 192-200.
- Casanova, J.-P. 1996b. Crustacea Mysidacea: Les Lophogastridés d'Indonésie, de Nouvelle-Calédonie et des îles Wallis et Futuna. In: Crosnier, A., *Résultats des Campagnes Musorstom, 15*-- *Mémoires du Muséum National d'Histoire Naturelle* 168: 125-146.

- Casanova, J.-P. 1996b. Crustacea Mysidacea: Les Lophogastridés d'Indonésie, de Nouvelle-Calédonie et des îles Wallis et Futuna. In: Crosnier, A., Résultats des Campagnes Musorstom, 15.-- Mémoires du Muséum National d'Histoire Naturelle 168: 125-146.
- Casanova, J.-P. 1997. Les mysidacés Lophogastrida (Crustacea) du canal de Mozambique (côte de Madagascar).-- Zoosystema 19 (1): 91-109.
- Caullery, M. 1896. Crustacés schizopodes et décapodes. Pages 365-419, In: Koehler, R., Résultats Scientifiques de la Campagne du "Caudan" dans le Golfe de Gascogne/ Aout-Septembre 1895. Masson, Paris.
- Cherel, Y., H. Weimerskirch, & C. Trouvé. 2000. Food and feeding ecology of the neritic-slope forager black-browed albatross and its relationships with commercial fisheries in Kerguelen waters.-- Marine Ecology Progress Series 207: 183-199.
- Childress, J.J., & M.H. Price. 1978. Growth rate of the bathypelagic crustacean *Gnathophausia ingens* (Mysidacea: Lophogastridae). I. Dimensional growth and population structure.-- Marine Biology 50: 47-62.
- Childress, J.J., & M.H. Price. 1983. Growth rate of the bathypelagic crustacean *Gnathophausia ingens* (Mysidacea: Lophogastridae)/ II. Accumulation of material and energy.-- Marine Biology 76 (2): 165-177.
- Childress, J.J. 1968a. Oxygen minimum layer: vertical distribution and respiration of the mysid *Gnathophausia ingens*.-- Science 160: 1242-1243.
- Childress, J. 1969. The respiratory physiology of the oxygen minimum layer mysid *Gnathophausia ingens*.-- Dissertation Abstracts 30B: 1271-1272.
- Childress, J.J. 1971. Respiratory adaptations to the oxygen minimum layer in the bathypelagic mysid *Gnathophausia ingens*.-- The Biological Bulletin 141: 109-121.
- Chilton, C. 1926. The New Zealand Crustacea Euphausiacea and Mysidacea.-- Transactions and Proceedings of the New Zealand Institute 56: 519-522.
- Chun, K. 1900. Aus den Tiefen des Weltmeeres: Schilderungen von der Deutschen Tiefsee-Expedition. G. Fischer, Jena.
- Chun, K. 1903. Aus den Tiefen des Weltmeeres: Schilderungen von der Deutschen Tiefsee-Expedition, Edition 2. G. Fischer, Jena.
- Clarke, A., & L.J. Holmes. 1986. Lipid content and composition of some midwater crustaceans from the Southern Ocean.- Journal of Experimental Marine Biology and Ecology 104 (1-3): 31-51.
- Clarke, W.D. 1961. A giant specimen of *Gnathophausia ingens* (Dohrn, 1870) (Mysidacea) and remarks on the asymmetry of the paragnaths in the suborder Lophogastrida.-- Crustaceana 2: 313-32.
- Clarke, W.D. 1962. The genus *Gnathophausia* (Mysidacea, Crustacea), its systematics and distribution in the Pacific Ocean. Ph.D. Dissertation, University of California, San Diego.
- Claus, C. 1876. Untersuchungen zur Erforschung der genealogischen Grundlage des Crustaceen-Systems. Ein Beitrag zur Descendenzlehre. Carl Gerold's Sohn, Wien.
- Claus, C. 1885. Neue Beiträge zur Morphologie der Crustaceen. Alfred Hölder, Wien (also published in Arbeiten aus dem Zoologischen Institut der Universität Wien und der Zoologischen Station in Triest 6: 1-108).
- Coifmann, I. 1937 (1936). I misidacei del Mar Rosso. Studio del materiale raccolto dal Prof. L. Sanzo durante la campagna idrografica della R. Nave Ammiraglio Magnaghi (1923-24).-- Memoria - R. Comitato Talassografico Italiano 233: 1-52 (25 plates).
- Colosi, G. 1922a. Eufausiacei e misidacei raccolti nella campagna del 1920.-- Memoria - Comitato Talassografico Italiano, no. 96: 1-12.
- Colosi, G. 1922b. Eufausiacei e misidacei dello Stretto di Messina.-- Memoria - Comitato Talassografico Italiano 98: 1-22.
- Colosi, G. 1929. I misidacei del Golfo di Napoli.-- Pubblicazioni della Stazione Zoologica di Napoli 9 (3): 405-441.
- Colosi, G. 1930a. Remarques sur la distribution horizontale et verticale des mysidés méditerranéens.-- Bulletin de la Société d'Océanographie de France 10 (54): 983-985.
- Colosi, G. 1930b. Lofogastridi nuovi.-- Bollettino di Zoologia 1 (4): 119-125 (in Italian).
- Colosi, G. 1934. Paralophogaster macrops: nuova specie di misidaceo.-- Bollettino di Zoologia 5 (2): 43-44 (in Italian).
- Corbari, L., J.-C. Sorbe. 2001. Structure of the suprabenthic assemblages in the Capbreton area (SE of the bay of Biscay). Pages 96-101, In: Elbé, J., & P. Prouzet (coords.), Océanographie du Golfe de Gascogne. VII Colloq. Int., Biarritz, 4-6 avril 2000. IFREMER, Actes Colloq.
- Cowles, D.L., J.J. Childress, & D.L. Gluck. 1986. New method reveals unexpected relationship between velocity and drag in the bathypelagic mysid *Gnathophausia ingens*.-- Deep-Sea Research. Part A, Oceanographic Research Papers 33A (7): 865-880.

- Cowles, D.L., J.J. Childress, & M.E. Wells. 1991. Metabolic rates of midwater crustaceans as a function of depth of occurrence off the Hawaiian Islands: food availability as a selective factor?-- *Marine Biology* 110: 75-83.
- Crothers, J.H. 1966. Dale Fort Marine Fauna, Second Edition. Field Studies Council, London.
- Curl, H., Jr. 1962. No. 30./ Standing crops of carbon, nitrogen, and phosphorus and transfer between trophic levels, in continental shelf waters south of New York.-- *Rapports et Procès-Verbaux des Réunions Conseil International pour l'Exploration de la Mer* 153: 183-189.
- Dahl, E., & R.R. Hessler. 1982. The crustacean lacinia mobilis: A reconsideration of its origin, function and phylogenetic implications.-- *Zoological Journal of the Linnean Society* 74: 133-146.
- Dahl, E. 1983a. Alternatives in malacostracan evolution. Pages 1-5, In: Lowry, J.K. (ed.), *Papers from the Conference on the Biology and Evolution of Crustacea*, Held at the Australian Museum Sydney, 1980. Trustees of the Australian Museum, Sydney, NSW, Australia.
- Dahl, E. 1983b. Malacostracan phylogeny and evolution. Pages 189-211, In: Schram, F.R. (ed.), *Crustacean Issues. Crustacean Phylogeny*, 1. A.A. Balkema, Rotterdam, Netherlands.
- Dahl, E. 1991. Crustacea Phyllozoa and Malacostraca: a reappraisal of cephalic and thoracic shield and fold systems and their evolutionary significance.-- *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 334 (1269): 1-26.
- Dana, J.D. 1852. Conspectus crustaceorum, &c. Conspectus of the Crustacea of the exploring expedition under Capt. C. Wilkes, U.S.N. *Macroura*-- *Proceedings of the Academy of Natural Sciences, Philadelphia* 6: 10-28.
- Dana, J.D. 1852-1855. Tribe II. Mysidea. Pages 635-685, In: Dana, J.D., *Crustacea. United States Exploring Expedition. During the Years 1838, 1839, 1840, 1841, 1842, Under the Command of Charles Wilkes, U.S.N. Vol. XIII, Part I. C. Sherman, Philadelphia* (reprinted 1972 by Antiquariaat Junk, Netherlands).
- Dana, J.D. 1852d. Conspectus crustaceorum, &c. Conspectus of the Crustacea of the exploring expedition under Capt. C. Wilkes, U.S.N. *Macroura*-- *Proceedings of the Academy of Natural Sciences, Philadelphia* 6: 10-28.
- Daniel, R.J. 1933. Comparative study of the abdominal musculature in Malacostraca. Part III. The abdominal musculature systems of *Lophogaster typicus* M. Sars and *Gnathophausia zoea* Willemoes-Suhm, and their relationships with the musculatures of other Malacostraca.-- *Report on the Lancashire Sea-Fisheries Laboratory at the University of Liverpool* 41: 71-133.
- De Jong, L., & J.-P. Casanova. 1997. Comparative morphology of the foregut of four *Gnathophausia* species (Crustacea; Mysidacea; Lophogastrida). Relationships with other taxa.-- *Journal of Natural History* 31 (7): 1029-1040.
- De Jong, L., & J.-P. Casanova. 1997a. Comparative morphology of the foregut of three *Eucopia* species (Crustacea, Mysidacea, Lophogastrida).-- *Journal of Natural History* 31 (3): 389-402.
- De Jong, L., X. Moreau, R.-M. Barthélémy, & J.-P. Casanova. 2002. Relevant role of the labrum associated with the mandibles in the *Lophogaster typicus* digestive function.-- *Journal of the Marine Biological Association of the United Kingdom* 82: 219-227.
- De Jong, L., S. Jean, & X. Moreau. 2004. The digestive system of *Euphausia krohni* (Crustacea, Euphausiacea): functional morphology and phylogenetic relevance.-- *Cahiers de Biologie Marine* 45 (1): 71-82.
- De Jong-Moreau, L. and Casanova, J.-P. 2001. The foreguts of the primitive families of the Mysida (Crustacea, Peracarida): a transitional link between those of the Lophogastrida (Crustacea, Mysidacea) and the most evolved Mysida.-- *Acta Zoologica* 82 (2): 137-147.
- De Jong-Moreau, L., M. Brunet, J.-P. Casanova, & J. Mazza. 2000. Comparative structure and ultrastructure of the midgut and hepatopancreas of five species of Mysidacea (Crustacea): functional implications.-- *Canadian Journal of Zoology* 78 (5): 822-834.
- De Jong, L. 1996. Functional morphology of the foregut of *Lophogaster typicus* and *L. spinosus* (Crustacea, Mysidacea, Lophogastrida).-- *Cahiers de Biologie Marine* 37 (4): 341-347.
- Denis, J.-R. 1929. Sur les Crustacés bathypélagiques de Banyuls-Sur-Mer I.- Euphausiacés et Mysidacés (pp).-- *Archives de Zoologie Expérimentale et Générale* 69 (2): 69-74.
- Dennell, R. 1936. The feeding mechanism of the cumacean crustacean *Diastylis bradyi*.-- *Transactions of the Royal Society of Edinburgh* 58 (1): 125-142.
- Desportes, I., & J. Théodoridès. 1985. Particularités cytologiques d'*Uradiophora maetzi* Théod. et Desp. (Eugregarina, Uradiophoridae) parasite du Mysidacé bathypélagique *Gnathophausia zoea* WS [Cytological peculiarities of *Uradiophora maetzi* Théod. and Desp. (Eugregarina, Uradiophoridae) parasite of the bathypelagic Mysidacean *Gnathophausia zoea* WS].-- *Annales des Sciences Naturelles, Zoologie, Paris, Series 13*, 7 (4): 199-213.
- Dohrn, A. 1870. Untersuchungen über Bau und Entwicklung der Arthropoden, 10. Beiträge zur Kenntniss der Malacostraken und ihrer Larven.-- *Zeitschrift für Wissenschaftliche Zoologie* 20: 607-626.

- Dohrn, R. 1906. 7. Die Nervenendigung in Sinnesnervenzellen eines Schizopoden.-- *Zoologischer Anzeiger* 29 (11): 347-352.
- Donnelly, J., D.G. Stickney, & J.J. Torres. 1993. Proximate and elemental composition and energy content of mesopelagic crustaceans from the eastern Gulf of Mexico.-- *Marine Biology* 115: 469-480.
- Dragovich, A. 1971. The food of skipjack and yellowfin tunas in the Atlantic Ocean.-- *Fishery Bulletin* 68 (3): 445-460.
- Dudich, E. 1931. Systematische und biologische Untersuchungen über die Kalkeinlagerungen des Crustaceenpanzers im polarisierten Lichte.-- *Zoologica, Stuttgart* 80: 1-154.
- Dürr, J., & J.A. González. 2002. Feeding habits of *Beryx splendens* and *Beryx decadactylus* (Berycidae) off the Canary Islands.-- *Fisheries Research* 54: 363-374.
- Ekman, S. 1935. Tiergeographie des Meeres. Leipzig, Akad. Verlagsanst., xii + 542pp.
- Ekman, S. 1953a. Zoogeography of the Sea (translated from Swedish by E. Palmer). Sidgwick & Jackson, London.
- Elizalde, M., J.C. Sorbe, & J.C. Dauvin. 1993. Las comunidades suprabentónicas bathiales del golfo de Vizcaya (margen sur del Cañón de Cap-Ferret): composición faunística y estructura. Pages 247-258, In: *Publicaciones Especiales del Instituto Español de Oceanografía No. 11*.
- Elofsson, R., & E. Dahl. 1970. The optic neuropiles and chiasmata of Crustacea.-- *Zeitschrift für Zellforschung und Mikroskopische Anatomie* 107: 343-360.
- Elofsson, R. 1965. The nauplius eye and frontal organs in Malacostraca (Crustacea).-- *Sarsia*, 19: 1-54.
- Escobar-Briones, E., & L.A. Soto. 1991. Biogeografía de los Misidáceos (Crustacea: Peracarida) del Golfo de México.-- *Caribbean Journal of Science* 27 (1-2): 80-89 (in Spanish with English abstract).
- Fage, L. 1935. Sur la localisation dans les eaux moyennes du Pacifique d'un Mysidacé pélagique peu connu, *Ceratolepis hamata* G.O. Sars.-- *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences* 200: 1774-1776 (in French).
- Fage, L. 1936. Sur un Ellobiopsidé nouveau *Amallocystis fasciatus* gen. et sp. nov. parasite des Mysidacés bathypélagiques.-- *Archives de Zoologie Expérimentale et Générale* 78 (3): 145-154.
- Fage, L. 1939. A propos d'un mysidacé bathypélagique peu connu: *Chalaraspis alata* G.O. Sars (Willemoes-Suhm in lit.).-- *Archives de Zoologie Expérimentale et Générale* 80 (2): 68-76.
- Fage, L. 1940a. Diagnoses préliminaires de quelques Espèces nouvelles du genre *Lophogaster* (Crust. Mysidacés).-- *Bulletin du Muséum National d'Histoire Naturelle, 2nd series*, 7 (6): 323-328 (in French).
- Fage, L. 1940b. La distribution géographique des mysidacés bathypélagiques du genre "*Gnathophausia*".-- *Compte Rendu des Séances de la Société de Biogéographie*, 17 Ann., 142: 11-13.
- Fage, L. 1940c. Sur le déterminisme des caractères sexuels secondaires des Lophogastrides (crustacés-mysidacés).-- *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences, Paris* 211: 335-337.
- Fage, L. 1941. Mysidacea: Lophogastrida, I. Dana-Report No. 19. Series- The Carlsberg Foundation's Oceanographical Expedition round the world 1928-30 and previous "Dana"- expeditions under the leadership of the late professor Johannes Schmidt. C.A. Reitzels Forlag, Copenhagen.
- Fage, L. 1942. Mysidacea : Lophogastrida, II. A. Høst, Copenhagen.
- Fage, L. 1952. Etude écologique de la variation des caracteres différentiels des especes et des populations.-- *Annales Société Royale Zoologique de Belgique* 83: 1-20 (in French).
- Faxon, W. 1893. Reports on the dredging operations off the west coast of Central America to the Galapagos, to the west coast of Mexico, and in the Gulf of California, in charge of Alexander Agassiz, carried on by the U.S. Fish Commission Steamer "Albatross" during 1891, Lieut. Commander Z.L. Tanner, U.S.N., commanding. VI. Preliminary descriptions of new species of Crustacea.-- *Bulletin of the Museum of Comparative Zoology at Harvard College, in Cambridge* 24 (7): 149-220.
- Faxon, W. 1895. Reports on an exploration off the west coasts of Mexico, Central and South America, and off the Galapagos Islands, in charge of Alexander Agassiz, by the U.S. Fish Commission steam "Albatross" during 1891, Lieut.-Commander Z.L. Tanner, U.S.N., commanding. XV. The stalk-eyed Crustacea.-- *Memoires of the Museum of Comparative Zoology at Harvard College* 18: 1-292 (67 plates).
- Faxon, W. 1896. No. 3.- Reports on the results of dredging, under the supervision of Alexander Agassiz, in the Gulf of Mexico and the Caribbean Sea, and on the east coast of the United States, 1877 to 1880, by the U.S. Coast Survey Steamer "Blake", Lieut.-Commander C.D. Sigsbee, U.S.N., and Commander J.R. Bartlett, U.S.N., commanding. XXXVII. Supplementary notes on the Crustacea.-- *Bulletin of the Museum of Comparative Zoology at Harvard College* 30: 153-166 (2 plates).
- Filhol, H. 1885. La Vie au Fond des Mers, les Explorations Sous-Marines et les Voyages du "Travailleur" et du "Talisman". Masson, Paris (8 plates).

- Fowler, G.H. 1905. Biscayan plankton. Appendix on the vertical distribution and movement of the Schizopoda.-- Transactions of the Linnean Society of London, ser. 2, 10: 122-129.
- Fowler, G.H. 1912. Science of the Sea. An Elementary Handbook of Practical Oceanography for Travelers, Sailors, and Yachtsmen. John Murray, London.
- Frank, T.M., E.A. Widder, M.I. Latz, & J.F. Case. 1984. Dietary maintenance of bioluminescence in a deep-sea mysid.-- Journal of Experimental Biology 109: 385-389.
- Franqueville, C. 1971. Macroplankton profond (invertébrés) de la Méditerranée nord-occidentale.-- Tethys 3 (1): 11-56.
- Fraser, J.H. 1949. List of rare exotic species found in the plankton by the Scottish research vessels in 1949.-- Annales Biologiques 6: 95-99.
- Fraser, J.H. 1956. Plancton et Faune. Scottish investigations from Aberdeen.-- Annales Biologiques 11: 87.
- Fraser, J.H. 1961. The oceanic and bathypelagic plankton of the north-east Atlantic and its possible significance to fisheries.-- Marine Research 1961 (4): 1-48.
- Fraser, J. 1962. Nature Adrift: the Story of Marine Plankton. C.T. Foulis & Co. Ltd., London.
- Fraser, J.H. 1970. Scottish plankton collections in 1969; zooplankton.-- Annales Biologiques 26 (1969): 112.
- Freel, R.W. 1978. Oxygen affinity of the hemolymph of the mesopelagic mysidacean *Gnathopausia ingens*.-- Journal of Experimental Zoology 204: 267-273.
- Fukuoka, K., M.S. Hoffmeyer, & M.D. Vinas. 1997. *Lophogaster muranoi*, a new species of mysid from the coastal waters of Argentina (Crustacea: Mysidacea: Lophogastridae).-- Proceedings of the Biological Society of Washington 110 (4): 601-607.
- Fukuoka, K. 2004b. Marsupial brooding and adoption in mysidaceans.-- Aquabiology = Kaiyo to Seibutsu 26 (3) 152: 221-224 (in Japanese with English abstract).
- Fuzessary, Z.M., & J.J. Childress. 1975. Comparative chemosensitivity to amino acids and their role in the feeding activity of bathypelagic and littoral crustaceans.-- The Biological Bulletin 149 (3): 522-538.
- Gerstaecker, A., & A.E. Ortmann. 1901. Malacostraca. Pages 682-686, In: Bronn, H.G., Klassen und Ordnungen des Tierreich, Vol. 5, Abt. 1, Pt. 2. C.F. Winter'sche, Leipzig.
- Giesbrecht, W. 1921. Crustacea. Pages 9-252, In: Lang, A., Handbuch der Morphologie der Wirbellosen Tiere. Gustav Fischer, Jena.
- Glaessner, M.F. 1957. Evolutionary Trends in Crustacea (Malacostraca).-- Evolution 11 (2): 178-184.
- Goës, A. 1863. Crustacea decapoda podophthalma marina Sueciae, interpositis speciebus norvegicis aliisque vicinis, enumerat.-- Öfversigt af Konglige Vetenskaps-Akademiens Förhandlingar 20 (3): 161-180.
- González, E.R., & M. Thiel. 2004. Índice bibliográfico sobre biodiversidad acuática de Chile: Crustáceos Peracáridos (Crustacea) [Bibliographic index on aquatic biodiversity of Chile: Peracarid crustaceans (Crustacea)].-- Ciencia y Tecnología del Mar 27 (1): 133-150.
- Author abstract- "Peracarid crustaceans are a diverse group of invertebrates, common in every aquatic environment in Chile, both marine and freshwater. The present study includes as peracarids amphipods, cumaceans, isopods, mysids and tanaidaceans. Other peracarid groups have not been recorded from Chile."
- Gordan, J. 1957. A bibliography of the Order Mysidacea.-- Bulletin of the American Museum of Natural History 112 (4): 279-394.
- Gordon, I. 1964. On the mandible of the Stygocaridae (Anaspidacea) and some other Eumalacostraca, with special reference to the *lacinia mobilis*.-- Crustaceana 7: 150-157.
- Gordon, I. 1980. Walter M. Tattersall and Olive S. Tattersall: 7 decades of peracaridan research.-- Crustaceana 38 (3): 311-320.
- Grindley, J.R., & M.J. Penrith. 1965. Notes on the bathypelagic fauna of the seas around South Africa.-- Zoologica Africana 1 (2): 275-295.
- Guevara, M., C. Lodeiros, M.D. Donato, C. Graciani, & L. Freitas. 2005. Nutritional quality of *Metamysidopsis insularis* Brattegard (Crustacea: Mysidacea).-- Aquaculture Nutrition 11 (5): 315-319.
- Gutu, M., & A. Stoica. 1999. New crustacean taxa described in the journal Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa", Volumes I-XL.-- Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa" 41: 587-611.
- Haffer, K. 1965. Zur Morphologie der Malacostraca: Der Kaumagen der Mysidacea im Vergleich zu dem verschiedener Peracarida und Eucarida [On the morphology of the Malacostraca: the mastax of the Mysidacea as compared to that of various Peracarida and Eucarida].-- Helgoländer Wissenschaftliche Meeresuntersuchungen 12 (1): 156-206 (in German with English abstract).

- Hansen, H.J. 1893a. 4. Zur Morphologie der Gliedmassen und Mundtheile bei Crustaceen und Insecten.-- Zoologischer Anzeiger 16 (420): 193-198.
- Hansen, H.J. 1893b. 1. Zur Morphologie der Gliedmassen und Mundtheile bei Crustaceen und Insecten.-- Zoologischer Anzeiger 16 (421): 201-212.
- Hansen, H.J. 1893c. LX.- A contribution to the morphology of the limbs and mouth-parts of crustaceans and insects.-- The Annals and Magazine of Natural History, Ser. 6, 12 (72): 417-434.
- Hansen, H.J. 1905a. Preliminary report on the Schizopoda collected by H.S.H. Prince Albert of Monaco during the cruise of the "Princesse-Alice" in the year 1904.-- Bulletin du Musée Océanographique de Monaco, no. 30: 1-32.
- Hansen, H.J. 1905b. Further notes on the Schizopoda.-- Bulletin du Musée Océanographique de Monaco, no. 42: 1-32.
- [also published in Memoires sur les Crustacés et Pycnogonides des Croisierres du Prince Albert 1er de Monaco pp. 162-185]
- Hansen, H.J. 1908a. Crustacea Malacostraca, Vol. 3, No. 2. Bianco Luno, Copenhagen.
- Hansen, H.J. 1910. The Schizopoda of the Siboga Expedition. E.J. Brill, Leiden.
- Hansen, H.J. 1912. Reports on the scientific results of the expedition to the eastern tropical Pacific, in charge of Alexander Agassiz, by the U.S. Fish Commission steamer "Albatross", from October, 1904 to March, 1905. Lieut. Commander L.M. Garrett, U.S.N. commanding, 27. The Schizopoda.-- Memoirs of the Museum of Comparative Zoölogy at Harvard College 35 (4): 173-206 (12 plates).
- Hansen, H.J. 1913c. Report on the Crustacea Schizopoda collected by the Swedish Antarctic Expedition 1901-1903, under the charge of Baron Dr. Otto Nordenskjöld. G.E.C. Gad, Copenhagen.
- Hansen, H.J. 1921b. On the postembryonic occurrence of the median "dorsal organ" in Crustacea Malacostraca. Pages 66-80, In: Hansen, H.J. Studies on Arthropoda. I. Glydendalske Boghandel, Copenhagen.
- Hansen, H.J. 1925. On the comparative morphology of the appendages in the Arthropoda- A. Crustacea. Pages 1-76, In: Hansen, H.J., Studies on Arthropoda. II. Copenhagen, Glydendalska Boghandel (8 plates).
- Hansen, H.J. 1927. 1. Sergestidés et schizopodes. Pages 9-27, In: Expéditions Scientifiques du "Travailleur" et du "Talisman" Pendant les Années 1880, 1881, 1883 ... Malacostracés (Suite). Masson et Cie, Paris (in French) (1 plate).
- Hansen, H.J. 1930. On the comparative morphology of the appendages in the Arthropoda. (Crustacea). Pages 1-49, In: Studies on Arthropoda. III. Glydendalske Boghandel, Copenhagen.
- Hansen, H.J. 1938. Further notes on the Schizopoda. In: Richard, J., Mémoires sur les crustacés et pycnogonides des croisières du Prince Albert 1er de Monaco. [Series- Résultats des campagnes scientifiques accomplies sur son yacht]. Monaco, Governm. à Monaco 97: 162-185.
- Hansson, H.G. 2005. Gnathophausia zoea - en "pungräka" ny för Skandinavien [Gnathophausia zoea - a new species of mysid shrimp for Scandinavia.].-- Fauna & Flora 100 (3): 14-15.
- Hanström, B. 1933. Neue Untersuchungen über Sinnesorgane und Nervensystem der Crustaceen. II.-- Zoologische Jahrbücher. Abteilung für Anatomie und Ontogenie der Tiere 56 (3/4): 387-520.
- Hanström, B. 1937. Die Sinusdrüse und der hormonal bedingte Farbwechsel der Crustaceen.-- Kungl. Svenska Vetenskapsakademiens Handlingar, Ser. 3, 16 (3): 1-99.
- Hanström, B. 1947. The brain, the sense organs, and the incretory organs of the head in the Crustacea Malacostraca.-- Lunds Universitets Årsskrift. N.F. Avd. 2. Bd. 43 (9): 1-44.
- Hargreaves, P.M., and P.J. Herring. 1992. The response of decapod and mysid crustaceans to artificially lighted trawls.-- Journal of the Marine Biological Association of the United Kingdom 72 (3):621-631.
- Hargreaves, P.M. 1985b. The vertical distribution of Decapoda, Euphausiacea, and Mysidacea at 42° N, 17° W.-- Biological Oceanography 3 (4): 431-464.
- Hargreaves, P.M. 1989. The vertical and horizontal distribution of four species of the genus Gnathophausia (Crustacea: Mysidacea) in the eastern North Atlantic Ocean.-- Journal of Plankton Research 11 (4): 687-702.
- Hargreaves, P.M. 1999. The vertical distribution of micronektonic decapod and mysid crustaceans across the Goban Spur of the Porcupine Seabight.-- Sarsia 84 (1): 1-18.
- Heard, R.W., W.W. Price, D.M. Knott, R.A. King, & D.M. Allen. 2006. A taxonomic guide to the mysids of the South Atlantic Bight. NOAA Professional Paper NMFS 4.
- Heller, C. 1863. Die Crustaceen des Südlichen Europa. Crustacea Podophthalmia. Mit einer Übersicht über die Horizontale Verbreitung Sämmtlicher Europäischer Arten. W. Braumüller, Wien.
- Herring, P.J. 1974. Size, density and lipid content of some decapod eggs.-- Deep-Sea Research 21: 91-94.

- Hessler, R.R., & L. Watling. 1999. Sous-classe des Eumalacostracés (Eumalacostraca Grobben, 1892)/ super-ordre des Péracarides (Peracarida Calman, 1904)/ 1/ Les Péracarides: un groupe controversé. Pages 1-10, In: Forest, J. (ed.), *Traité de Zoologie/ Anatomie, Systématique, Biologie/ Publié sous la direction de Pierre-P. Grassé, Volume VII Crustacés, Fascicule IIIA Péracarides (Mémoires de l'Institut Océanographique, Monaco No. 19).*
- Hessler, R.R. 1982a. The structural morphology of walking mechanisms in eumalacostracan crustaceans.-- *Philosophical Transactions of the Royal Society of London B* 296: 245-298.
- Hessler, R.R. 1982c. Evolution within the Crustacea. Part 1. General: Remipedia, Branchiopoda and Malacostraca. Pages 149-184, In: Abele, L.G. (ed.), *Systematics, the Fossil Record, and Biogeography. Volume 1, In: Bliss, D.E. (ed.), The Biology of Crustacea. Academic Press, New York.*
- Hargreaves, P.M. 1985. The vertical and horizontal distribution of four species of the genus *Gnathophausia* (Crustacea: Mysidacea) in the eastern North Atlantic Ocean.-- *Journal of Plankton Research* 11 (4): 687-702.
- Hiller-Adams, C.P. 1983. Effects of feeding and food deprivation on the bathypelagic mysid *Gnathophausia ingens*.-- *Dissertation Abstracts International* 43B (10): 3157.
- Hjort, J., & K. Ruud, 1929. Whaling and fishing in the north Atlantic. Article 1, Pages 1-123, In: *Whales and Plankton in the North Atlantic/ A Contribution to the Work of the Whaling Committee and of the North Eastern Area Committee.*-- *Rapports et Procès-Verbaux des Réunions Conseil International pour l'Exploration de la Mer*, 56.
- Holt, E.W.L., & W.I. Beaumont. 1900 (1902). Survey of fishing grounds, west coast of Ireland, 1890-1891. X.- Report on the Crustacea Schizopoda of Ireland.-- *Scientific Transactions of the Royal Dublin Society, ser. 2, 7 (7): 221-252 (1 plate).*
- Holt, E.W.L., & W.M. Tattersall. 1905a. Schizopodous Crustacea from the north-east Atlantic slope.-- *Annual Report Sea and Inland Fisheries of Ireland, 1902-1903, pt. II, app. 4: 99-152 (11 plates).*
- Holt, E.W.L., & W.M. Tattersall. 1905b. Report on the schizopods collected by Mr. George Murray, F.R.S., during the cruise of the "Oceana" in 1898.-- *Annals and Magazine of Natural History, Ser. 7, 16 (91): 1-10 (2 plates).*
- Holt, E.W.L., & W.M. Tattersall. 1905c. Biscayan plankton. Part V. The Schizopoda.-- *Transactions of the Linnean Society of London, Zoology, ser. 2, 10: 103-129.*
- Holt, E.W.L., & W.M. Tattersall. 1906. Schizopodous Crustacea from the north-east Atlantic slope. Supplement.-- *Fisheries, Ireland, Scientific Investigations, 1904 (5): 3-50 (5 plates).*
- Hopkins, T.L., & T.T. Sutton. 1998. Midwater fishes and shrimps as competitors and resource partitioning in low latitude oligotrophic ecosystems.-- *Marine Ecology Progress Series* 164: 37-45.
- Hopkins, T.L., M.E. Flock, J.V. Gartner, Jr., & J.J. Torres. 1994. Structure and trophic ecology of a low latitude midwater decapod and mysid assemblage.-- *Marine Ecology Progress Series* 109: 143-156.
- Humbert, A. 1874. L'expédition scientifique du navire de S.M. Britannique, le Challenger.-- *Archives des Sciences Physiques et Naturelles* 49 (195): 189-212.
- Illig, G. 1905a. 6. Das Leuchten der *Gnathophausien*.-- *Zoologischer Anzeiger* 28: 662.
- Illig, G. 1906a. 4. Ein weiterer Bericht über die Schizopoden der Deutschen Tiefsee-Expedition 1898-1899.-- *Zoologischer Anzeiger* 30 (10): 319-322.
- Illig, G. 1906b. 5. Ein weiterer Bericht über die Schizopoden der Deutschen Tiefsee-Expedition 1898-1899.-- *Zoologischer Anzeiger* 30 (7): 227-230.
- Illig, G. 1930. Die Schizopoden der deutschen Tiefsee-Expedition. In Chun, C., *Wissenschaftliche Ergebnisse Deutschen Tiefsee-Expedition auf dem Dampfer "Valdivia" 1898-1899. Jena, Gustav Fischer, 22: 397-625.*
- Innocenti, G. 2006. Collections of the Natural History Museum, Zoological Section "La Specola" of the University of Florence. XXV. Crustacea, class Malacostraca, subclass Phyllocarida, order Leptostraca; subclass Eumalacostraca, superorder Peracarida, orders Lophogastrida, Mysida, and Cumacea.-- *Atti Della Società Toscana di Scienze Naturali. Memorie. Serie B* 113:19-26.
- Jardas, I., M. Santic, & A. Pallaoro. 2004. Diet composition and feeding intensity of horse mackerel, *Trachurus trachurus* (Osteichthyes: Carangidae) in the eastern Adriatic.-- *Marine Biology* 144 (6): 1051-1056.
- Jarman, S.N., S. Nicol, N.G. Elliott, & A. McMinn. 2000. 28S rDNA evolution in the Eumalacostraca and the phylogenetic position of krill.-- *Molecular Phylogenetics and Evolution* 17 (1): 26-36.
- Jaume, D., G.A. Boxshall, and R.N. Bamber. 2006. A new genus from the continental slope off Brazil and the discovery of the first males in the Hirsutiidae (Crustacea: Peracarida: Bochusacea).-- *Zoological Journal of the Linnean Society* 148 (2): 169-208.
- Johansson, K.U.I., L. Gefors, R. Wallén, & E. Hallberg. 1996. Structure and distribution patterns of aesthetascs and male-specific sensilla in *Lophogaster typicus* (Mysidacea).-- *Journal of Crustacean Biology: A Quarterly of the Crustacean Society for the Publication of Research on Any Aspect of the Biology of Crustacea* 16 (1): 45-53.
- Jukic, S. 1978. Contribution to the knowledge of the relationship between formation of deep scattering layer (DSL) and biological components in the central Adriatic.-- *Acta Adriatica* 19: 3-15.

- Kaartvedt, S. 1985. Diel changes in small-scale vertical distribution of hyperbenthic mysids.-- *Sarsia* 70 (4): 287-295.
- Kaartvedt, S. 1989. Retention of vertically migrating suprabenthic mysids in fjords.-- *Marine Ecology Progress Series* 57 (2): 119-128.
- Katagan, T. 1985. Mysidaces et cumaces des cotes Egeennes de Turquie.-- *Rapports et Procès-Verbaux des Réunions (International Commission for the Scientific Exploration of the Mediterranean Sea)* 29 (5): 287-288.
- Kathman, R.D., W.C. Austin, J.C. Saltman, & J.D. Fulton. 1986. Identification manual to the Mysidacea and Euphausiacea of the northeast Pacific.-- *Canadian Special Publication of Fisheries and Aquatic Sciences* 93: 1-411.
- Kazmi, Q.B., N.M. Tirmizi, & J. Mauchline. 1999. An illustrated key to the Malacostraca (Crustacea) of the northern Arabian Sea. Part IV: Mysidacea.-- *Pakistan Journal of Marine Sciences* 8 (2): 131-157.
- Keable, S.J., G.E. Fenton, & J.K. Lowry. 2003. Mysidacea. Pages 419-471, In: Lowry, J.K., & H.E. Stoddart (eds.), *Zoological Catalogue of Australia 19.2B, Crustacea: Malacostraca/ Peracarida/ Amphipoda, Cumacea, Mysidacea*. CSIRO Publishing, Melbourne.
- Kitsos, M.-S., S. Doulgeraki, A. Tselepidis, & A. Koukouras. 2005. Diet composition of the bathyal crabs, *Chaceon mediterraneus* Manning & Holthuis and *Geryon longipes* A. Milne-Edwards (Decapoda, Geryonidae) collected at different depths in the eastern Mediterranean.-- *Crustaceana* 78 (2): 171-184.
- Kobusch, W. 1998. Foregut morphology and its implications for a new phylogenetic tree of the Peracarida.-- Abstract, 4th International Crustacean Congress (ICC-4), Amsterdam, 20-24 July 1998: 107 (No. 218).
- Kobusch, W. 1998b. The foregut of the Mysida (Crustacea, Peracarida) and its phylogenetic relevance.-- *Philosophical Transactions of the Royal Society of London. Series B, Biological Sciences* 353: 559-581.
- Kyrtatos, N.A. 1998. Contribution à la connaissance de la nourriture de *Trachurus mediterraneus* (Steind.) et de son influence sur les chaînes alimentaires de la Mer Égée centrale.-- *Rapp. Comm. Int. Mer Médit.*, 35: 452-453.
- Lagardère, J.P., & H. Nouvel. 1980a. Les Mysidacés du talus continental du golfe de Gascogne. II. Familles des Lophogastridae, Eucopiidae et Mysidae (Tribu des Erythropini exceptée).-- *Bulletin du Muséum National d'Histoire Naturelle, sér. 4, 2* (2): 375-412.
- Lagardère, J.-P. 1972. Recherches sur l'alimentation des crevettes de la pente continentale Marocaine.-- *Tethys* 3 (3): 655-675.
- Lagardère, J.P. 1973. Données sur la biologie et sur l'alimentation de *Dichelopandalus bonnierii* (Crustacé-Natantia) dans le Golfe de Gascogne.-- *Tethys* 5 (1): 155-166.
- Lagardère, J.P. 1977. Recherches sur la distribution verticale et sur l'alimentation des Crustacés Décapodes benthiques de la pente continentale du Golfe de Gascogne- Analyses des groupements carcinologiques.-- *Bulletin du Centre d'Études et de Recherche Scientifiques* 11 (4): 367-440.
- Lagardère, J.P. 1983. Les Mysidacés de la plaine abyssale du golfe de Gascogne I. Familles des Lophogastridae, Eucopiidae et Petalophthalmidae.-- *Bulletin du Muséum National d'Histoire Naturelle, sér. 4, section A, no 3*: 809-843.
- Lagardère, J.P. 1985. Biogéographie et composition taxinomique du peuplement abyssal de Mysidacés. Pages 425-428, In: Laubier, L., & C. Monniot (eds.), *Peuplements Profonds du Golfe de Gascogne*. IFREMER.
- Laubitz, D.R. 1986. Bibliographia Invertebratorum Aquaticorum Canadensium/ Volume 6. Pages 14-27, In: *Synopsis speciorum. Crustacea: Euphausiacea et Mysidacea*. National Museum of Natural Sciences, National Museums of Canada.
- Lauterbach, K.-E. 1980. Schlüsselereignisse in der Evolution des Grundplans der Mandibulata (Arthropoda).-- *Abhandlungen des Naturwissenschaftlichen Vereins in Hamburg (N.F.)* 23: 105-161 (in German with English abstract).
- Le Lœuff, P., & A. Intès. 1993. La faune benthique du plateau continental de Côte-d'Ivoire.-- *Environment et Ressources Aquatiques de Côte-d'Ivoire* 1 (Le Milieu Marin): 214-236?.
- Leatherland, T.M., J.D. Burton, F. Culkin, M.J. McCartney, & R.J. Morris. 1973. Concentrations of some trace metals in pelagic organisms and of mercury in northeast Atlantic Ocean water.-- *Deep-Sea Research* 20: 679-685.
- Leavitt, B.B. 1938. The quantitative vertical distribution of macrozooplankton in the Atlantic Ocean basin.-- *The Biological Bulletin* 74 (3): 376-394.
- Ledoyer, M. 1989. Mysidacea et Caridea (Crustacea) de la Campagne MD 42/SIBEX du "Marion-Dufresne" entre les Iles Kerguelen et la Baie Prydz (Antarctique).-- *Mesogée* 49: 67-70.
- Ledoyer, M. 1990. Mysidacea (Crustacea) de la campagne "Epos 3" en Mer de Weddell, Antarctique.-- *Mesogée* 50: 37-44.
- Ledoyer, M. 1995. Mysidacés (Crustacea) de Kerguelen, Crozet et Bouvet (Océan Austral) récoltés par la Japonaise, le Marion-Dufresne (1972-82) et dans des contenus stomacaux d'oiseaux.-- *Journal of Natural History* 29: 601-618.

- Ledoyer, M. 1998. Mysidacea (Crustacea) des campagnes Eumeli 2, 3 et 4 (1991-1992) au large de la Mauritanie [Mysidacea (Crustacea) from the Eumeli 2, 3 and 4 cruises (1991-1992) off the Mauritanian coast].-- *Marine Life* 8 (1-2): 25-27.
- Lee, R.F., & J. Hirota. 1973. Wax esters in tropical zooplankton and nekton and the geographical distribution of wax esters in marine copepods.-- *Limnology and Oceanography* 18: 227-239.
- Lee, R.F., J. Hirota, & A.M. Barnett. 1971. Distribution and importance of wax esters in marine copepods and other zooplankton.-- *Deep-Sea Research* 18: 1147-1165.
- Legendre, R. 1940. La faune pélagique de l'Atlantique au large du Golfe de Gascogne, recueillie dans des estomacs de Germons/ Troisième partie: Invertébrés (Céphalopodes exclus)./ Parasites du Germon.-- *Annales de l'Institut Océanographique, N.S.*, 20 (4): 127-310.
- Lewis, R.W. 1967. Fatty acid composition of some marine animals from various depths.-- *Journal of the Fisheries Research Board of Canada* 24 (5): 1101-1115.
- Lo Bianco, S. 1901. Le pesche pelagiche abissali eseguite dal Maia nelle vicinanze di Capri.-- *Mittheilungen aus der Zoologischen Station zu Neapel* 15: 413-582 (1 plate).
- Lo Bianco, S. 1903. Le pesche abissali eseguite da F.A. Krupp col yacht Puritan nelle adiacenze de Capri ed in altre località del Mediterraneo.-- *Mittheilungen der Zoologischen Station zu Neapel* 16: 109-280.
- Lo Bianco, S. 1904. Pelagische Tiefseefischerei der "Maja" in der Umgebung von Capri. In: *Beiträge zur Kenntnis des Meeres und seiner Bewohner*. Gustav Fischer, Jena 1: 1-91 (41 plates) (originally published in Italian in *Mitteilungen aus der Zoologischen Station zu Neapel* 15 (3), 1901).
- Lo Bianco, S. 1909. Notizie biologiche riguardanti specialmente il periodo di maturità sessuale degli animali del golfo di Napoli.-- *Mittheilungen aus der Zoologischen Station zu Neapel* 19: 513-761.
- Lochhead, J.H. 1961. Locomotion. Pages 313-364, In: Waterman, T.H. (ed.), *The Physiology of Crustacea*, Volume 2. Sense Organs, Integration and Behavior. Academic Press, New York.
- Lomakina, N. 1955d. [Order Mysidacea]. Pages 144-145, Plate XXXIV, In: *Atlas Bespozvonocinih Dalnevostocinih Morei*. Trudy Zoologicheskogo Instituta, Moscow.
- Macdonald, A.G., & I. Gilchrist. 1978. Further studies on the pressure tolerance do deep-sea Crustacea, with observations using a new high-pressure trap.-- *Marine Biology* 45: 9-21.
- Macquart-Moulin, C., & M. Leveau. 1968. Récolte de macroplancton à partir de la bouée laboratoire - juin 1966.-- *Rapports et Procès-Verbaux des Réunions (International Commission for the Scientific Exploration of the Mediterranean Sea)* 19 (3): 495-497.
- Madurell, T., & J.E. Cartes. 2003. The suprabenthic peracarid fauna collected at bathyal depths in the Ionian Sea (eastern Mediterranean).-- *Crustaceana* 76 (5): 611-624.
- Manton, S.M. 1928. V.- On some points in the anatomy and habits of the lophogastrid Crustacea.-- *Transactions of the Royal Society of Edinburgh* 56: 103-119.
- Martin, J.W., & G.E. Davis. 2001. An Updated Classification of the Recent Crustacea. Science Series 39. Natural History Museum of Los Angeles County, California.
- Mattson, S. 1981. The food of Galeus melastomus, Gadiculus argenteus thori, Trisopterus esmarkii, Rhinonemus cimbrius, and Glyptocephalus cynoglossus (Pisces) caught during the day with shrimp trawl in a west-Norwegian fjord.-- *Sarsia* 66 (2): 109-127.
- Mauchline, J., & M. Murano. 1977. World list of Mysidacea, Crustacea.-- *Journal of the Tokyo University of Fisheries* 64: 39-88.
- McCauley, J.E., & D.R. Hancock. 1971. Annotated checklist of plants and animals. In: *Oceanography of the Nearshore Coastal Waters of the Pacific Northwest Relating to Possible Pollution*, 2 Volumes. Water Pollution Control Research Series (16070 EOK 07/71). U.S. Government Printing Office, Washington, DC.
- McLaughlin, P. 1980. Mysidacea. Pages 79-84, In: *Comparative Morphology of Recent Crustacea*. W.H. Freeman and Co.
- Meland, K., & E. Willassen. 2007. The disunity of "Mysidacea" (Crustacea).-- *Molecular Phylogenetics and Evolution* 44: 1083-1104.
- Meland, K. (2002 onwards). Mysidacea: Families, Subfamilies and Tribes. Version 1: 2 October 2002. <http://crustacea.net>.
- Mendez, G.M., R.S.G. Sanchez, & F.P.G. Aguilar. 1975. Notas sobre crustaceos del mar Peruano- II: Gnathopausia gracilis W. Shum [sic], 1875 (Mysidacea Lophogastridae)- III: Eryoneicus sp. (Decapoda, Macrura, Polychelidae).-- *Anales Cientificos Una, Lima* 13 (1-2): 12-18.
- Mickel, T.J., & J.J. Childress. 1978. The effect of pH on oxygen consumption and activity in the bathypelagic mysid Gnathopausia ingens.-- *The Biological Bulletin* 154: 138-147.

- Mickel, T.J., & J.J. Childress. 1982. Effects of pressure and pressure acclimation on activity and oxygen consumption in the bathypelagic mysid *Gnathophausia ingens*.-- *Deep-Sea Research. Part A, Oceanographic Research Papers* 29A (11): 1293-1301.
- Milne-Edwards, A. 1880. Compte rendu sommaire d'une exploration zoologique faite dans le golfe de Gascogne à bord du navire de l'Etat le Travailleur.-- *Comptes Rendus Hebdomadaires des Séances de l'Académie des Sciences* 91 (7): 355-360 (in French).
- Modlin, R.F. 2007. Mysidacea. Pages 489-495. In: Carlton, J.T. (ed.), *The Light and Smith Manual/ Intertidal Invertebrates from Central California to Oregon*, 4th ed. University of California Press, Berkeley.
- Moeller, J.F., & J.F. Case. 1994. Properties of visual interneurons in a deep-sea mysid, *Gnathophausia ingens*.-- *Marine Biology* 119 (2): 211-219.
- Moeller, J.F., & J.F. Case. 1995. Temporal adaptations in visual systems of deep-sea crustaceans.-- *Marine Biology* 123 (1): 47-54.
- Monod, T. 1933. Sur quelques crustacés de l'Afrique Occidentale.-- *Bull. Comité Études Hist. Sci. Afrique Occidentale Française* 15: 456-548.
- Moore, E., & F. Sander. 1977. A study of the offshore zooplankton of the tropical western Atlantic near Barbados.-- *Ophelia* 16 (1): 77-96.
- Moreno, R., & J. Matallanas. 1983. Étude du régime alimentaire de *Lepidotrigia cavillone* (Lacepède, 1801) (Pisces, Triglidæ) dans la mer Catalane.-- *Cybium* 7: 93-103.
- Morris, R.J., & J.R. Sargent. 1973. Studies on the lipid metabolism of some oceanic crustaceans.-- *Marine Biology* 22 (1): 77-83.
- Morris, R.J. 1972. The occurrence of wax esters in crustaceans from the north-east Atlantic Ocean.-- *Marine Biology* 16: 102-107.
- Morte, M.S., M.J. Redon, & A. Sanz-Brau. 2001. Feeding habits of *Trisopterus minutus capelanus* (Gadidae) off the eastern coast of Spain (western Mediterranean).-- *Marine Ecology* 22 (3): 215-229.
- Morte, M.S., M.J. Redon, & A. Sanz-Brau. 2002. Diet of *Phycis blennoides* (Gadidae) in relation to fish size and season in the western Mediterranean (Spain).-- *Marine Ecology* 23 (2): 141-155.
- Murano, M., R. Marumo, T. Nemoto, & Y. Aizawa. 1976. Vertical distribution of biomass of plankton and micronekton in the Kuroshio water off central Japan.-- *Bulletin of Plankton Society of Japan = Nihon Purankuton Gakkai ho* 23 (1): 1-12.
- Murano, M. 1970a. Three species belonging to the genus *Lophogaster* (Mysidacea) from Japan.-- *Proceedings of the Japanese Society of Systematic Zoology = Dobutsu Bunrui Gakkai Shi* 6: 1-5.
- Murano, M. 1970b. Systematic and ecological studies on Mysidacea collected by the bottom-net.-- *Journal of the Oceanographical Society of Japan* 26 (3): 137-150.
- Murano, M. 1971. Mysidacean fauna in Sagami Bay and Suruga Bay.-- *Proceedings of the Japanese Society of Systematic Zoology = Dobutsu Bunrui Gakkai Shi* 7: 45-48.
- Murray, J. 1895. A Summary of the Scientific Results Obtained at the Sounding, Dredging, and Trawling Stations of H.M.S. Challenger. In: Murray, J., Report on the Scientific Results of the Voyage of H.M.S. Challenger during the years 1872-76... A Summary of the Scientific Results, Pt. 1. H.M. Stationary Office, Edinburgh.
- Nath, C., & N.K. Pillai. 1971b. On the alimentary cannal [sic] of *Spelaeomysis longipes* (Crustacea: Mysidacea).-- *Journal of the Zoological Society of India* 23 (2): 95-108.
- Norman, A.M. 1862b. *Christiania Universtetsprogram*, 1-37, pls. i., ii., iii.
- Norman, A.M. 1869. Shetland Island final dredging report.- Part II. On the Crustacea, Tunicata, Polyzoa, Echinodermata, Actinozoa, Hydrozoa, and Porifera. Pages 247-336, In: Jeffreys, J.G., A.M. Norman, W.C. M'Intosh, & E. Waller (eds.), *Last Report on Dredging Among the Shetland Isles*.-- Report of the Thirty-Eighth Meeting of the British Association for the Advancement of Sciences, 1868: 247-336.
- Norman, A.M. 1880. The French deep-sea exploration in the Bay of Biscay. Supplementary Paper.-- Report from the British Association for the Advancement of Science 1880: 387-390.
- Norman, A.M. 1880b. LVII.- Notes on the French exploring voyage of "Le Travailleur" in the Bay of Biscay.-- *The Annals and Magazine of Natural History, Ser. 4*, (36): 430-436.
- Norman, A.M. 1886. *Museum Normanianum, or A Catalogue of the Invertebrata of Europe, and the Arctic and North Atlantic Oceans, Which are Contained in the Collection of the Rev. Canon A.M Norman, M.A., D.C.L., F.L.S. / III.- Crustacea*. Morton, Houghton-Le-Spring.
- Norman, A.M. 1892. British Schizopoda of the families Lophogastridae and Euphausiidae.-- *Annals and Magazine of Natural History, Ser. 6*, 9 (54): 454-464.

- Norman, A.M. 1894. XV.- A month on the Trondhjem Fiord.-- The Annals and Magazine of Natural History, Ser. 6, 13 (74): 150-164.
- Norman, A.M. 1905. Museum Normanianum, or A Catalogue of the Invertebrata of the Arctic and North Atlantic Temperate Ocean and Palæarctic Region, Which are Contained in the Collection of the Rev. Canon A.M Norman, M.A., D.C.L., LL.D., F.R.S., &c/ III.- Crustacea. Second Edition. Thos. Caldcleugh & Son, Durham.
- Nouvel, H. 1941. Sur les Ellobiopsidés des Mysidacés provenant des Campagnes du Prince de Monaco.-- Bulletin de l'Institut Océanographique, No. 809: 1-8.
- Nouvel, H. 1942a. Sur la sexualité des Mysidacés du genre Eucopia (Caractères sexuels secondaires, taille et maturité sexuelle, anomalies et action possible d'un Epicaride).-- Bulletin de l'Institut Océanographique, No. 820: 1-12.
- Nouvel, H. 1942b. Sur la systématique des espèces du genre Eucopia Dana 1852 (Crust., Mysidacea).-- Bulletin de l'Institut Océanographique, No. 818: 1-8.
- Nouvel, H. 1943. Mysidacés provenant des campagnes du Prince Albert Ier de Monaco. Pages 1-128, In: Richard, M.J. (ed.), Résultats des Campagnes Scientifiques Accomplies sur son Yacht par Albert Ier Prince Souverain de Monaco, no. 105. Imprimerie de Monaco.
- Nouvel, H. 1944. L'inversion de l'asymétrie chez les Crustacés avec description d'un nouveau cas observé chez des Processa.-- Bulletin de l'Institut Océanographique, No. 865: 1-6.
- Nouvel, H. 1949. Mysidacea. In: Jespersen, P., & F.S. Russell (eds.), Fiches d'Identification du Zooplancton. International Council for the Exploration of the Sea. A.F. Høst, Copenhagen. No. 18, 1-6; No. 19, 1-4; No. 20, 1-4, No. 21, 1-4; No. 22, 1-4; No. 23, 1-4; No. 24, 1-4; No. 25, 1-4; No. 26, 1-3; No. 27, 1-4.
- Nouvel, H. 1950a. Recherches sur la nourriture de quelques Trigles du Golfe de Gascogne au large d'Arcachon.-- Bulletin de l'Institut Océanographique, No. 964: 1-12.
- Nouvel, H. 1978. Mysidacés récoltés par S. Frontier a Nosy Bé. VII. Lophogaster affinis Colosi et Mesopodopsis africana madagascariensis n.ssp.-- Bulletin de la Société d'Histoire Naturelle de Toulouse 113: 396-398.
- Ortiz, M., & R. Lalana R. 1994b. Nuevos registros de crustaceos marinos del Archipelago Cubano.-- Revista de Investigaciones Marinas 15 (3): 201-204.
- Ortmann, A.E. 1901. Crustacea and Pycnogonida collected during the Princeton expedition to North Greenland.-- Proceedings of the Academy of Natural Sciences, Philadelphia 53: 144-168.
- Ortmann, A.E. 1905. Schizopods of the Hawaiian Islands collected by the steamer Albatross in 1902.-- U.S. Fish Commission Bulletin for 1903, part III: 961-973.
- Ortmann, A.E. 1906. Schizopod crustaceans in the U.S. National Museum. The families Lophogastridae and Eucopiidae.-- Proceedings of the United States National Museum 31: 23-54 (2 plates).
- Ortmann, A.E. 1908. Schizopod crustaceans in the U.S. National Museum: Schizopods from Alaska.-- Proceedings of the United States National Museum, No. 1591, 34: 1-10 (1 plate).
- Oshel, P.E., & D.H. Steele. 1988. SEM morphology of the foreguts of gammaridean amphipods compared to Anaspides tasmaniae (Anaspidacea: Anaspididae), Gnathophausia ingens (Mysidacea: Lophogastridae), and Idotea balthica (Isopoda: Idoteidae).-- Crustaceana 13 (Supplement 1): 209-219.
- Ostenfeld, C.H., & Wesenberg-Lund. 1909. Catalogue des espèces de plantes et d'animaux observées dans le plankton recueilli pendant les expéditions périodiques depuis le mois d'août 1905 jusqu'au mois de Mai 1908.-- Publications de Circonstance - Conseil Permanent International pour l'Exploration de la Mer, No. 48: 1-151.
- Paulsen, O. 1909. Plankton investigations in the waters round Iceland and in the north Atlantic in 1904.-- Meddelelser fra Kommissionen for Danmarks Fiskeri- og Havundersøgelser. Serie, Plankton 1 (8): 1-41.
- Pawsey, E.L., & F.M. Davis. 1924. Report on exploratory voyages to Lousy Bank and adjacent areas.-- Fishery Investigations, Ser. 2, 7 (2): 1-22.
- Peach, B.N. 1908. Monograph on the higher Crustacea of the Carboniferous rocks of Scotland.-- Memoirs of the Geological Survey of Great Britain. / Palæontology 1 (1): 1-82 (Plates I-XII).
- Pearcy, W.G., & J.W. Ambler. 1974. Food habits of deep-sea macrourid fishes off the Oregon coast.-- Deep-Sea Research 21: 745-759.
- Pequegnat, L.H. 1965. The bathypelagic mysid Gnathophausia (Crustacea) and its distribution in the eastern Pacific Ocean.-- Pacific Science 19: 399-421.
- Perrier, E. 1897. Fam. Lophogastridae. Pages 1025-1026, In: Traité de Zoologie, Fasc. III- Arthropodes. Masson, Paris.
- Petrescu, I. 1992. L'exposition temporaire "Les Animaux des Profondeurs Océaniques".-- Travaux du Muséum d'Histoire Naturelle "Grigore Antipa" 32: 483-486.

- Petryashev, V.V. 1994. [Mysids (Crustacea, Mysidacea) of upper bathyal zone of the Kurile Islands]. Pages 77-106, In: Sirenko, B.I., & S.V. Vassilenko (eds.), *The Fauna of the Continental Slope of the Kurile Islands/ Based on Collections of 33 Voyage R/V "Odyssey"*.-- Explorations of the Fauna of the Seas, 1993, 46 (54): 77-106.
- Petryashev, V.V. 2005b. Mysids (Crustacea, Mysidacea) collected by soviet and Russian Antarctic Expeditions. Lophogastrida, Petalophthalmida, and Mysida: Boreomysidae.-- *Zoologicheskii Zhurnal* 84 (8): 957-973 (in Russian with English summary).
- Petryashov, V.V. 1992. Notes on mysid systematics (Crustacea, Mysidacea) of Arctic and the North-Western Pacific.-- *Zoologicheskii Zhurnal* 71 (10): 47-58 (in Russian with English abstract).
- Pillai, N.K. 1973. Mysidacea of the Indian Ocean. Pages 1-125, In: *Handbook to the International Zooplankton Collections. Curated and Processed at the Indian Ocean Biological Centre, National Institute of Oceanography, Council of Scientific and Industrial Research (Volume 4)*. Indian Ocean Biological Centre, Cochin.
- Poore, G.C.B. 2005a. Peracarida: monophyly, relationships and evolutionary success.-- *Nauplius* 1 (3): 1-27.
- Price, W.W. 2004. An annotated checklist for the order Mysida (Crustacea: Malacostraca: Peracarida) from the Pacific coasts of the Americas (Alaska to Chile). Pages 53-77, In: Hendrickx, M.E. (ed.), *Contribuciones al Estudio de los Crustáceos del Pacifico Este 3 [Contributions to the Study of East Pacific Crustaceans 3]*. Instituto de Ciencias del Mar y Limnología, UNAM.
- Pruvost, P. 1930. Crustacés. Pages 179-190, In: *La faune continentale du terrain Houiller de la Belgique*.-- *Mémoires du Musée Royal d'Histoire Naturelle de Belgique* 44: 105-284 (13 plates).
- Pruvot, G. 1897. Essai sur les fonds et la faune de la Manche occidentales (côtes de Bretagne) comparés à ceux du Golfe de Lion.-- *Archives de Zoologie Expérimentale et Générale* 5: 511-664.
- Quetin, L.B., & J.J. Childress. 1980. Observations on the swimming activity of two bathypelagic mysid species maintained at high hydrostatic pressures.-- *Deep-Sea Research. Part A, Oceanographic Research Papers* 27 (5): 383-391.
- Quetin, L.B., T.J. Mickel, & J.J. Childress. 1978. A method for simultaneous measuring the oxygen consumption and activity of pelagic crustaceans.-- *Comparative Biochemistry and Physiology. A, Comparative Physiology* 59A (3): 263-266.
- Raw, F. 1955. XC.- The Malacostraca: their origin, relationships and phylogeny.-- *The Annals and Magazine of Natural History, Ser. 12*, 8 (94): 731-756.
- Raymont, J.E.G., R.T. Srinivasagam, & J.K.B. Raymont. 1969. Biochemical studies on marine zooplankton VII. Observations on certain deep sea zooplankton.-- *Internationale Revue der Gesamten Hydrobiologie* 54 (3): 357-365.
- Redon, M.J., M.S. Morte, & A. Sanz-Brau. 1994. Feeding habits of the spotted flounder *Citharus linguatula* off the eastern coast of Spain.-- *Marine Biology* 120 (2): 197-201.
- Reyss, D. 1971. Les canyons sous-marins de la mer Catalane, le rech du cap et le rech Lacaze-Duthiers/ III.- Les peuplements de macrofaune benthique.-- *Vie et Milieu, Ser. B*, 22 (3): 529-613.
- Richardson, H. 1908. On some isopods of the family Dajidae from the northwest Pacific Ocean, with descriptions of a new genus and two new species.-- *Proceedings of the United States National Museum*, No. 1586, 33: 689-696.
- Richardson, H. 1909. Isopods collected in the Northwest Pacific by the U.S. Bureau of Fisheries Steamer "Albatross" in 1906.-- *Proceedings of the United States National Museum*, No. 1701, 37: 75-129.
- Richter, S., & G. Scholtz. 2001. Phylogenetic analysis of the Malacostraca (Crustacea).-- *Journal of Zoological Systematics and Evolutionary Research = Zeitschrift für Zoologische Systematik und Evolutionsforschung* 39: 113-136.
- Richter, S. 1999. The structure of the ommatidia of the Malacostraca (Crustacea)- a phylogenetic approach.-- *Verhandlungen des Naturwissenschaftlichen Vereins in Hamburg NF* 38: 161-204.
- Richter, S. 2001. Phylogenetic relationships of lophogastrid genera and the position of the Lophogastrida within the Peracarida (Malacostraca).-- *Fifth International Crustacean Congress (abstract)*.
- Richter, S. 2003. The mouthparts of two lophogastrids, *Chalaraspidium alatum* and *Pseudochalaraspidium hanseni* (Lophogastrida, Peracarida, Malacostraca), including some remarks on the monophyly of the Lophogastrida.-- *Journal of Natural History* 37 (23/10): 2773-2786.
- Riedl, R. 1963. *Fauna und Flora der Adria/ Ein Systematischer Meeresführer für Biologen und Naturfreunde*. Paul Parey, Hamburg (in German).
- Riggio, G. 1904. Contributo alla carcinologia del Mediterraneo. I. Nota sopra alguanti crostacei nel mare di Messina.-- *Il Naturalista Siciliano* 17 (5): 117-120.
- Roe, H.S.J. 1984. The diel migrations and distributions within a mesopelagic community in the north east Atlantic. 2. Vertical migrations and feeding of mysids and decapod Crustacea.-- *Progress in Oceanography* 13 (3-4): 269-318.
- Rowe, G.T., M. Sibuet, & A. Vangriesheim. 1986. Domains of occupation of abyssal scavengers inferred from baited cameras and traps on the Demerara Abyssal Plain.-- *Deep-Sea Research. Part A, Oceanographic Research Papers* 33 (4): 501-522.

- Saito, N., & N. Kajihara. 2002. Two species of lophogastridean mysids (Crustacea: Mysidacea: Lophogastridae) collected from the Niigata District (the Sea of Japan), Honshu, Japan.-- Bulletin of Plankton Society of Japan = Nihon Purankuton Gakkai ho 49 (2): 88-94 (in Japanese with English summary).
- Sanders, N.K., & J.J. Childress. 1990. Adaptations to the deep-sea oxygen minimum layer: oxygen binding by the hemocyanin of the bathypelagic mysid, *Gnathophausia ingens* Dohrn.-- The Biological Bulletin 178 (3): 286-294.
- Santic, M., I. Jardas, & A. Pallaoro. 2003. Feeding habits of Mediterranean horse mackerel, *Trachurus mediterraneus* (Carangidae), in the central Adriatic Sea.-- *Cybium* 27 (4): 247-253.
- Santic, M., I. Jardas, & A. Pallaoro. 2004. Diet composition and feeding intensity of Mediterranean horse mackerel, *Trachurus mediterraneus* (Osteichthyes: Carangidae), in the central Adriatic Sea.-- *Acta Adriatica* 45 (1): 43-50.
- Santic, M., I. Jardas, & A. Pallaoro. 2005. Feeding habits of horse mackerel, *Trachurus trachurus* (Linnaeus, 1758), from the central Adriatic Sea-- *Journal of Applied Ichthyology* 21: 125-130.
- Sardou, J., & V. Andersen. 1993. Micronecton et macroplancton en Mer Ligure (Mediterranee): migrations nycthemerales et distributions verticales.-- *Oceanologica Acta* 16 (4): 381-392.
- Sargent, J.R., R.J. Morris, & R. McIntosh. 1978 Biosynthesis of wax esters in oceanic crustaceans.-- *Marine Biology* 46: 315-320.
- Sars, G.O. 1869. VII. Undersøgelser over Christianiafjordens Dybvandsfauna.-- *Nyt Magazin for Naturvidenskaberne* 16: 305-362.
- Hansen, H.J. 1910. The Schizopoda of the Siboga Expedition. E.J. Brill, Leiden.
- Sars, G.O. 1870b. Carcinologiske Bidrag til Norges Fauna. I. Monographi over de ved Norges Kyster forekommende Mysider. Pt. 1. Det Kongl. Norske Videnskabselskab i Trondhjem. Brøgger & Christies Bogtrykkeri, Christiania 1-64 (5 plates).
- Sars, G.O. 1877. Prodrromus descriptionis Crustaceorum ft Pycnogonidarum, qvæ in Expeditione Norvegica anno 1876, observavit.-- *Archiv for Mathematik og Naturvidenskab* 2: 237-271.
- Sars, G.O. 1883b. Oversigt af Norges Crustaceer med foreløbige Bemaerkninger over de nye eller mindre bekjendte Arter. I. (Podophthalmata - Cumacea - Isopoda - Amphipoda).-- *Forhandlinger i Videnskabs-Selskabet i Christiania*, 1882, 18: 1-124 (6 plates).
- Sars, G.O. 1884. Preliminary notices on the Schizopoda collected by H.M.S. "Challenger" expedition.-- *Forhandlinger i Videnskabs-Selskabet i Christiania* (1883), No. 7: 1-43.
- Sars, G.O. 1885a. Report on the Schizopoda Collected by H.M.S. Challenger During the Years 1873-1876. Edinburgh.
- Sars, G.O. 1885b. Crustacea [Indsamlede paa den Norske Borthavs-Expedition]. In: *Norske Nordhavs-Expedition, 1876-1878, Zoologi, Vol. 6* [The Norwegian North-Atlantic Expedition, 1876-1878. Zoology]. Grøndahl & Son, Christiania.
- Sars, G.O. 1886. Crustacea II. Pages 1-96, In Sars, G.O., *Crustacea, II. Den Norske Nordhavs-Expedition, 1876-1878, Zoologi*. [Crustacea, II. The Norwegian North-Atlantic Expedition 1876-1878. Zoology.]. Grøndahl & Søn Bogtrykkeri, Christiania.
- Sars, G.O. 1917. On the juvenile state of *Lophogaster typicus* M. Sars.-- *Archiv for Mathematik og Naturvidenskab* 34: 1-9.
- Sars, M. 1857. Om 3 nye norske Krebsdyr.-- *Forhandlinger ved de Skandinaviske Naturforskeres Møte* 7 (1856): 160-175.
- Sars, M. 1856 (1857). Om 3 nye norske Krebsdyr.-- *Forhandlinger ved de Skandinaviske Naturforskeres Møte, 7de Møde* 160-175.
- Sars, M. 1862. Beskrivelse over *Lophogaster typicus*, en Maerkvoerdig Form af de Lavere Tiføddede Krebsdyr. Trykt hos Brøgger & Christie, Christiania.
- Sars, M. 1864. Description of *Lophogaster typicus*.-- *The Annals and Magazine of Natural History, Ser. 3*, 14 (84): 461-462.
- Sars, M. 1869. Fortstatte Bemaerkninger over det dyriske Livs Udbreding i Havets Dibder.-- *Forhandlinger i Videnskabs-Selskabet i Christiania* 1868: 246-275.
- Sawamoto, S., & K. Fukuoka. 2005. Lists of mysid species and references for their identification in southeast Asian waters.-- *Bulletin of Institute of Oceanic Research and Development Tokai University* 26: 79-93.
- Scheloske, H.W. 1976. Ist die Unterteilung des Magens der Malacostraca in 'Cardia' und 'Pylorus' berechtigt? [Is the subdivision of the stomach in the Malacostraca into "cardia" and "pylorus" valid? A contribution towards the comparative anatomy of the Crustacea-Malacostraca].-- *Journal of Zoological Systematics and Evolutionary Research = Zeitschrift für Zoologische Systematik und Evolutionsforschung* 14: 253-280 (in German with English summary).
- Schram, F.R. 1981a. On the classification of the Eumalacostraca.-- *Journal of Crustacean Biology* 1 (1): 1-10.
- Schram, F.R. 1986. 10/ Mysidaceans. Pages 107-127, In: *Crustacea*. Oxford University Press, New York.

- Secretan, S., & B. Riou. 1986. Les Mysidacés (Crustacea, Peracarida) du Callovien de la Voulte-sur-Rhône.-- *Annales de Paléontologie* 72: 295-323 (in French with English abstract).
- Serrano, A., F. Velasco, I. Olaso, & F. Sánchez. 2003. Macro-benthic crustaceans in the diet of demersal fish in the Bay of Biscay in relation to abundance in the environment.-- *Sarsia* 88 (1): 36-48.
- Shiino, S.M. 1937. Two species of the gigantic mysidacean *Gnathophausia* found in Japan.-- *Annotationes Zoologicae Japonenses* 16 (3): 181-187.
- Shiino, S.M. 1964. Mysidacea. In Uchida, T., *Systematic Zoology* 7: 168-179 (in Japanese).
- Sieg, J., & J.W. Wägele. 1990. *Fauna der Antarktis*. Paul Parey, Berlin.
- Siewing, R. 1951. Besteht eine engere Verwandtschaft zwischen Isopoden und Amphipoden?-- *Zoologischer Anzeiger* 147 (7-8): 166-180.
- Siewing, R. 1954. Morphologische Untersuchungen an Tanaidaceen und Lophogastriden.-- *Zeitschrift für Wissenschaftliche Zoologie* 157: 333-426.
- Siewing, R. 1956. Untersuchungen zur Morphologie der Malacostraca (Crustacea).-- *Zoologische Jahrbücher. Abteilung für Anatomie und Ontogenie der Tiere* 75 (1): 39-176 (in German).
- Siewing, R. 1960. Neuere Ergebnisse der Verwandtschaftsforschung bei den Crustaceen.-- *Wissenschaftliche Zeitschrift der Universität Rostock- 9. Jahrgang, Mathematisch-Naturwissenschaftliche Reihe* 3: 343-358.
- Smith, G., W.F.R. Weldon, & H. Woods. 1909. Crustacea. In: Harmer, S.F., & A.E. Shipley (eds.), *The Cambridge Natural History*, Vol. 4. Macmillan, London.
- Smith, S.I. 1880 (1881). Preliminary notice of the Crustacea dredged in 64 to 325 fathoms, off the south coast of New England, by the United States Fish Commission in 1880.-- *Proceedings of the United States National Museum* 3: 413-452.
- Smith, S.I. 1884. IX.- Crustacea of the Albatross dredgings in 1883.-- *The American Journal of Science, Ser. 3*, 28 (163): 53-56.
- Sobrinho, I., C. Silva, M. Sbrana, & K. Kaporis. 2005. A review of the biology and fisheries of the deep water rose shrimp, *Parapenaeus longirostris*, in European Atlantic and Mediterranean waters (Decapoda, Dendrobranchiata, Penaeidae).-- *Crustaceana* 78 (10): 1153-1184.
- Sorbe, J.C., & O. Weber. 1995. Influence de la profondeur et des sédiments superficiels sur la structure des communautés suprabenthiques bathyales sud-Gascogne. Pages 183-194, In: *Actas del IV Coloquio Internacional Sobre Oceanografía del Golfo de Vizcaya*, 1995.
- Sorbe, J.C. 1982. Observaciones preliminares del suprabentos en un transecto batimétrico de la plataforma continental aquitana (suroeste de Francia) [In: Ros, J., & F.Z. Niell (eds.), *Actas del II Simposio Ibérico de Estudios del Bentos Marino*, (II), Barcelona, 19-22 de Marzo de 1981].-- *Oecologia Aquatica* 6: 9-17.
- Sorbe J. C. 1990. Le canyon de Capbreton; état des connaissances sur ce site exceptionnel de la marge Atlantique européenne. Pages 93-140, In: *Oceanografía del Golfo de Vizcaya. VII Cursos de Verano en San Sebastian*, Universidad del País Vasco, julio de 1989.
- Soto, R.M., & M.A. Retamal. 1991. *Gnathophausia gracilis* Shum [sic], 1875 en aguas chilenas (Mysidacea, Lophogastridae).-- *Boletín de la Sociedad de Biología de Concepción* 62: 187-188.
- Spears, T., R.W. DeBry, L.G. Abele, & K. Chodyla. 2005. Peracarid monophyly and interordinal phylogeny inferred from nuclear small-subunit ribosomal DNA sequences (Crustacea: Malacostraca: Peracarida).-- *Proceedings of the Biological Society of Washington* 118 (1): 117-157.
- Spears, T., R.W. DeBry, L.G. Abele, & K. Chodyla. 2005. Peracarid monophyly and interordinal phylogeny inferred from nuclear small-subunit ribosomal DNA sequences (Crustacea: Malacostraca: Peracarida).-- *Proceedings of the Biological Society of Washington* 118 (1): 117-157.
- Springer, S., & H.R. Bullis, Jr. 1956. Collections by the Oregon in the Gulf of Mexico : List of crustaceans, Mollusks, and Fishes Identified from Collections Made by the Exploratory Fishing Vessel Oregon in the Gulf of Mexico and Adjacent Seas 1950 through 1955. Special Scientific Report- Fisheries, No. 196. U.S. Department of Interior, Bureau of Commercial Fisheries, Washington, D.C.
- Stebbing, T.R.R. 1893. Chapter XVIII Sub-order III.- Schizopoda. Pages 256-278, In: Stebbing, T.R.R., *A History of Crustacea / Recent Malacostraca*. International Science Series, No. 71. D. Appleton and Company, New York.
- Stebbing, T.R.R. 1902. Schizopoda. Pages 43-44, In: *Marine Investigations in South Africa, South African Crustacea, Part II*. W.A. Richards & Sons, Cape Town.
- Stebbing, T.R.R. 1908. South African Crustacea (Part IV).-- *Annals of the South African Museum* 6: 1-96 (15 plates).
- Stebbing, T.R.R. 1910. General catalogue of South African Crustacea (Pt. V. of S.A. Crustacea, for the Marine Investigations in South Africa).-- *Annals of the South African Museum* 6 (4): 281-593 (3 plates).

- Stebbing, T.R.R. 1914. IX.- Stalk-eyed Crustacea Malacostraca of the Scottish National Antarctic Expedition.-- Transactions of the Royal Society of Edinburgh 50: 253-307.
- Stebbing, T.R.R. 1917. 2. South African Crustacea (Part IX. of S.A. Crustacea, for the Marine Investigations in South Africa).-- Annals of the South African Museum 17: 23-46 (8 plates).
- Stecher, J., & J. Dörjes 1993. Das Makrozoobenthos im Vorfeld der Insel Spiekeroog I. Saisonale Siedlungsstrukturen im Foreshore-Bereich [The macrofauna in the beach and shoreface areas of Spiekeroog Island. I. Seasonal fluctuation in the foreshore area].-- Senckenbergiana Maritima 23 (1/3): 49-66.
- Stephensen, K. 1913. Mysidacea. Pages 62-80, In: Stephensen, K., Grønlands Krebsdyr og Pycnogonider (Conspectus Crustaceorum et Pycnogonidorum Groenlandiae).-- Meddelelser om Grønland 22: 1-479.
- Stephensen, K. 1933. The Godthaab expedition 1928. Schizopoda.-- Meddelelser om Grønland, 79 (9): 1-20.
- Strus, J., & V. Storch. 2004. Comparative electron microscopic study of the stomach of *Orchestia cavimana* and *Arcitalitrus sylvaticus* (Crustacea: Amphipoda).-- Journal of Morphology 259 (3): 340-346.
- Taniguchi, A. 1969. Mysidacea and Euphausiacea collected in the south-east of Hokkaido, Japan.-- Bulletin of the Faculty of Fisheries, Hokkaido University = Hokkaido Daigaku Suisan Gakubu Kenkyu Iho 20 (2): 43-59.
- Tattersall, O.S. 1955. Mysidacea.-- Discovery Reports 28: 1-190.
- Tattersall, O.S. 1960. Notes on mysidacean crustaceans of the genus *Lophogaster* in the U.S. National Museum.-- Proceedings of the United States National Museum, Number 3446 112: 527-547.
- Tattersall, O.S. 1961. Mysidacea from the coasts of tropical West Africa.-- Atlantide Reports 6: 143-159.
- Tattersall, W., & Tattersall, O. 1951. The British Mysidacea. London, Ray Society.
- Tattersall, W.M. 1908a. The Schizopoda and Isopoda collected by the "Huxley" from the north side of the Bay of Biscay in August, 1906.-- Journal of the Marine Biological Association of the United Kingdom, new ser., 8: 189-196.
- Tattersall, W.M. 1908d. Schizopoda, Crustacea. In: Cole, G.A.J., & L. Praeger (eds.), Handbook to the City of Dublin and the Surrounding District. University Press, Dublin (British Association for the Advancement of Science).
- Tattersall, W.M. 1909. The Schizopoda collected by the *Maia* and *Puritan* in the Mediterranean.-- Mittheilungen aus der Zoologischen Station zu Neapel 19 (2): 117-143 (1 plate).
- Tattersall, W.M. 1911. Schizopodous Crustacea from the north-east Atlantic slope.-- Fisheries, Ireland, Scientific Investigations, 1910, No. II: 1-77 (8 plates).
- Tattersall, W.M. 1912a. No. IX.- On the Mysidacea and Euphausiacea collected in the Indian Ocean during 1905. In Gardiner, J.S. (leader), The Percy Sladen Trust expedition to the Indian Ocean in 1905, vol. 4 (9).-- Transactions of the Linnean Society of London, ser. 2, Zoology, 15: 119-136 (2 plates).
- Tattersall, W.M. 1912b. Plankton, the free and floating organisms of oceans, lakes and rivers.-- Annual Report and Transactions (Manchester Microscopical Society) 1911: 71-75.
- Tattersall, W.M. 1913. The Schizopoda, Stomatopoda, and non-Antarctic Isopoda of the Scottish National Antarctic Expedition.-- Transactions of the Royal Society of Edinburgh 49 (4): 865-894 (1 plate).
- Tattersall, W.M. 1922. Indian Mysidacea.-- Records of the Indian Museum 24 (4): 445-504.
- Tattersall, W.M. 1923. Crustacea. Pt. VII. Mysidacea. In: British Antarctic ("Terra Nova") Expedition, 1910, Natural History Reports.-- British Museum (Natural History) Bulletin, Zoology 3 (10): 273-304 (4 plates).
- Tattersall, W.M. 1925. Mysidacea and Euphausiacea of marine survey, South Africa.-- Report - Union of South Africa, Fisheries and Marine Biological Survey, Special Report No. V: 1-12 (2 plates).
- Tattersall, W.M. 1926. Crustaceans of the orders Euphausiacea and Mysidacea from the Western Atlantic.-- Proceedings of the United States National Museum 69 (2634): 1-28 (2 plates).
- Tattersall, W.M. 1933. Euphausiacea and Mysidacea from western Canada.-- Contributions to Canadian Biology and Fisheries 8 (15), ser. A, gen., no. 38: 1-25.
- Tattersall, W.M. 1937. New species of mysidacid crustaceans.-- Smithsonian Miscellaneous Collections 91 (26): 1-28.
- Tattersall, W.M. 1938. The seasonal occurrence of mysids off Plymouth.-- Journal of the Marine Biological Association of the United Kingdom 23: 43-56.
- Tattersall, W.M. 1939a. The Euphausiacea and Mysidacea of the John Murray Expedition to the Indian Ocean. London, British Museum (Natural History), Scientific Reports 5 (8).
- Tattersall, W.M. 1939b. The Mysidacea of eastern Canadian waters.-- Journal of the Fisheries Research Board of Canada 4 (4): 281-286.
- Tattersall, W.M. 1951. A review of the Mysidacea of the United States National Museum.-- Bulletin of the United States National Museum, no. 201: 1-292.

- Taylor, R.S., F.R. Schram, & S. Yan-Bin. 2001. A new Upper Middle Triassic shrimp (Crustacea: Lophogastrida) from Guizhou, China, with discussion regarding other fossil "Mysidaceans".-- *Journal of Paleontology* 75 (2): 310-318.
- Thiele, J. 1905. Ueber einige Stieläugige Krebse von Messina.-- *Zoologische Jahrbücher. Supplementheft* 8: 442-474 (3 plates).
- Thompson, D.W. 1898. On a supposed resemblance between the marine faunas of the Arctic and Antarctic Regions.-- *Proceedings of the Royal Society of Edinburgh* 22: 311-349.
- Thomson, W. 1873. Notes from the Challenger. VII.-- *Nature* 8: 400-403.
- Thomson, C.W. 1878. The Voyage of the "Challenger": the Atlantic: a Preliminary Account of the General Results of the Exploring Voyage of H.M.S. "Challenger" During the Year 1873 and the Early Part of the Year 1876. Harper, New York (42 plates).
- Torchio, M. 1968. Osservazioni e considerazioni sugli spostamenti di alcuni malacostraci in Mediterraneo.-- *Natura (Milano)* 59: 61-74 (1 plate).
- Udrescu, A. 1984. Transpecific evolution (family level) within Lophogastrida. A new family - Gnathophausiidae (Lophogastrida, Mysidacea).-- *Travaux du Muséum National d'Histoire Naturelle "Grigore Antipa"* 25: 59-77.
- Van Straelen, V. 1924. Les Mysidacés du Callovien de la Voulte-sur-Rhône (Ardèche).-- *Bulletin de la Société Géologique de France* 23: 431-439.
- Vassilopoulou, V. 2006. Dietary habits of the deep-sea flatfish *Lepidorhombus boscii* in north-eastern Mediterranean waters.-- *Journal of Fish Biology* 69 (4): 1202-1220.
- Vereshchaka, A.L. 1990. Mysids from seamounts of Nasca and Sala-i-Gomes Ridges.-- *Trudy Instituta Okeanologii = Transactions of the Institute of Oceanology* 124: 118-128 (in Russian with English summary).
- Vereshchaka, A.L. 1990b. The vertical distribution of euphausiids, pelagic decapods and mysids in the western Indian Ocean.-- *Oceanology* 30 (1): 94-98 = *Okeanologia* 30 (1): 126-131.
- Verrill, A.E. 1885. Results of the exploration made by the steamer Albatross off the northern coast of the United States, in 1883.-- *Report of the United States Commission of Fish and Fisheries, 1883*: 503-699.
- Vetter, R.D., M.E. Wells, A.L. Kurtsman, & G.N. Somero. 1987. Sulfide detoxification by the hydrothermal vent crab *Bythograea thermydron* and other decapod crustaceans.-- *Physiological Zoology* 60 (1): 121-137.
- Vives, F. 1968. Sur les Malacostracés planctoniques des mers Tyrrhénienne et Catalane.-- *Rapports et Procès-Verbaux des Réunions (International Commission for the Scientific Exploration of the Mediterranean Sea)* 19 (3): 459-461.
- Walker, A.O. 1898. Malacostraca from the west coast of Ireland.-- *Proceedings and Transactions of the Liverpool Biological Society* 12: 159-172.
- Waterman, T.H., R.S. Nunnemacher, F.A. Chace, & G.L. Clarke. 1939. Diurnal vertical migrations of deep-water plankton.-- *The Biological Bulletin* 76 (2): 256-279.
- Waterman, T.H. 1961a. Light sensitivity and vision. Pages 1-64, In: Waterman, T.H. (ed.), *The Physiology of Crustacea, Volume 2. Sense Organs, Integration and Behavior*. Academic Press, New York.
- Waterman, T.H. 1961b. Comparative physiology. Pages 521-594, In: Waterman, T.H. (ed.), *The Physiology of Crustacea, Volume 2. Sense Organs, Integration and Behavior*. Academic Press, New York.
- Watling, L. 1999. Toward understanding the relationships of the peracaridan orders: the necessity of determining exact homologies. Pages 73-90, In: Schram, F.R., & J.C. von Vaupel Klein (eds.), *Crustaceans and The Biodiversity Crisis: Proceedings of the Fourth International Crustacean Congress, July 20-24, 1998, volume I*. Koninklijke Brill NV, Leiden, Netherlands.
- Wigley, R.L., & B.R. Burns. 1971. Distribution and biology of mysids (Crustacea, Mysidacea) from the Atlantic coast of the United States in the NMFS Woods Hole collection.-- *Fishery Bulletin NOAA NMFS* 69 (4): 717-746.
- Willemoes-Suhm, R. von, & C.W. Thomson. 1879. On Some Atlantic Crustacea From the "Challenger" Expedition.-- *Transactions of the Linnean Society of London, Ser. 2, 1 (1879)*: 23-59.
- Willemoes-Suhm, 1874. Von der Challenger-Expedition. Briefe an C. Th. E. v. Siebold von R. v. Willemoes-Suhm. II.-- *Zeitschrift für Wissenschaftliche Zoologie* 24 (Hft. 3): IX-XXI (follows page 580).
- Willemoes-Suhm, R. von. 1875a. Von der Challenger expedition: Briefe an C. Th. E. v. Siebold, III.-- *Zeitschrift für Wissenschaftliche Zoologie* 25: xxv-xlvi.
- Willemoes-Suhm, R. von. 1876a. IV. Preliminary report to Professor Wyville Thomson, F.R.S., Director of the Civilian Scientific Staff, on observations made during the earlier part of the voyage of H.M.S. "Challenger".-- *Proceedings of the Royal Society of London* 24: 569-585.
- Willemoes-Suhm, R. von. 1876b. V. Preliminary report to Professor Wyville Thomson, F.R.S., Director of the Civilian Scientific Staff, on Crustacea observed during the cruise of H.M.S. "Challenger" in the Southern Sea.-- *Proceedings of the Royal Society of London* 24: 585-592.

- Willemoes-Suhm, R. von. 1895. In: Report of the Voyage of H.M.S. Challenger: Summary of the Scientific Results, Part 1: vii-796.
- Wilson, C.D., & G.W. Boehlert 1993. Population biology of *Gnathophausia longispina* (Mysidacea: Lophogastrida) from a central North Pacific seamount.-- *Marine Biology* 115 (4): 537-543.
- Wilson, C.D., & G.W. Boehlert. 2004. Interaction of ocean currents and resident micronekton at a seamount in the central North Pacific.-- *Journal of Marine Systems* 50: 39-60.
- Wing, B.L. 1975. New records of Ellobiopsidae (Protista (Incertae Sedis)) from the north Pacific with a description of *Thalassomyces albatrossi* n.sp., a parasite of the mysid *Stilomysis major*.-- *Fishery Bulletin* 73 (1): 169-185.
- Wirkner, C.S., & S. Richter. 2003. The circulatory system in Phreatoicoidea: implications for the isopod ground pattern and peracarid phylogeny.-- *Arthropod Structure & Development* 32: 337-347.
- Wittmann, K.J., F. Hernández, J. Dürr, E. Tejera, J.A. González, & S. Jiménez. 2004. The epi- to bathypelagic Mysidacea (Peracarida) off the Selvagens, Canary, and Cape Verde Islands (NE Atlantic), with first description of the male of *Longithorax alicei* H. Nouvel, 1942.-- *Crustaceana* 76 (10): 1257-1280.
- Wittmann, K.J. 1990. Mysidacea (Schwebgarnelen). Pages 130-133, In: Sieg, J., & J.W. Wägele (eds.), *Fauna der Antarktis*. Berlin, P. Parey.
- Wolff, M., & A. Krausse. 1930. *Die Wirbellosen Tiere: Eine Systematische Übersicht*. Gustav Fischer, Jena.
- Wood-Mason, J., & A. Alcock. 1891a. XXII.- Natural history notes from H.M. Indian Marine Survey Steamer "Investigator", Commander R.F. Hoskyn, R.N., commanding. - No. 21. Note on the results of the last season's deep-sea dredging.-- *The Annals and Magazine of Natural History, Ser. 6, 7* (38): 186-202.
- Wood-Mason, J., & A. Alcock. 1891b. XXXII.- Natural history notes from H.M. Indian Marine Survey Steamer "Investigator", Commander R.F. Hoskyn, R.N., commanding. - Series II., No. 1. On the results of deep-sea dredging during the season 1890-1891.-- *The Annals and Magazine of Natural History, Ser. 6, 8* (46): 268-286.
- Yerman, M.N., & J.K. Lowry. 2007. Australian Mysidacea (checklist). Available online at <http://www.crustacea.net/crustace/mysidacea/aus/chcklst.htm> (accessed on Jan. 29, 2008).
- Zenkevich, L.A., & J.A. Birstein. 1960. On the problem of the antiquity of the deep-sea fauna.-- *Deep-Sea Research* 7: 10-23.
- Zimmer, C. 1905. Biologische Notizen über Schizopoden.-- *Verhandlungen der Deutschen Zoologischen Gesellschaft* 15: 149-153.
- Zimmer, C. 1909. Die nordischen Schizopoden. Pages 1-178, In: Brandt, K., & C. Apstein (eds.), *Nordisches Plankton, Zoologisches Teil*. Kiel and Leipzig, Lipsius und Tischer, 12.
- Zimmer, C. 1914b. Die Schizopoden der Deutschen Südpolar-Expedition, 1901-1903. G. Reimer, Berlin. Vol. 15, *Zoologie* 7: 377-445 (4 plates).
- Zimmer, C. 1915. Zur Kenntnis der Schizopodenfauna Neapels.-- *Mitteilungen aus der Zoologischen Station zu Neapel* 22: 313-327.
- Zimmer, C. 1927c. 1. Ordnung der "Reihe Peracarida" der Crustacea Malacostraca 8. Ordnung der Crustacea: Mysidacea. Pages 607-650, In: Kükenthal, W., *Handbuch der Zoologie, Dritter Band, Erste Hälfte*. Walter de Gruyter, Berlin.
- Zimmer, C. 1933. Mysidacea. Pages 29-69, In: Grimpe, G., & E. Wagler. *Die Tierwelt der Nord- und Ostsee*. Leipzig, Akademische Verlagbuchhandlung, no. 23.